

StnID: kblr Model: nam Run: 20240519/1800 Cloud RH threshold: 85% Sleet Ratio: 2:1 | CarSnowTool 5.7

Date/hour	FHr	Wind	SfcT	Ptype	SRat	Snow	TotSF	TotSN	QPF	TotQPF	Sleet	TotPL	FZRA	TotZR	S%	I%	L%
240519/1900Z	1	VRB02KT	74.4F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240519/2000Z	2	VRB02KT	75.1F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240519/2100Z	3	09003KT	75.5F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240519/2200Z	4	10004KT	75.3F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240519/2300Z	5	10003KT	74.0F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240520/0000Z	6	VRB02KT	71.9F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240520/0100Z	7	03004KT	70.6F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240520/0200Z	8	04004KT	69.2F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240520/0300Z	9	10010KT	68.1F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240520/0400Z	10	11010KT	67.4F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240520/0500Z	11	13005KT	66.1F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240520/0600Z	12	13005KT	64.8F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240520/0700Z	13	13009KT	65.2F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240520/0800Z	14	13010KT	63.9F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240520/0900Z	15	14014KT	65.2F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240520/1000Z	16	15012KT	64.3F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240520/1100Z	17	16013KT	63.0F	RAIN	0:1	0.0	0.0	0.0	0.004	0.00	0.00	0.00	0.00	0.00	0	0	100
240520/1200Z	18	18007KT	59.8F	RAIN	0:1	0.0	0.0	0.0	0.105	0.11	0.00	0.00	0.00	0.00	0	0	100
240520/1300Z	19	18003KT	61.4F	RAIN	0:1	0.0	0.0	0.0	0.009	0.12	0.00	0.00	0.00	0.00	0	0	100
240520/1400Z	20	17004KT	62.9F	DZ	0:1	0.0	0.0	0.0	0.057	0.18	0.00	0.00	0.00	0.00	0	0	100
240520/1500Z	21	17006KT	70.2F		0:1	0.0	0.0	0.0	0.000	0.18	0.00	0.00	0.00	0.00	0	0	0
240520/1600Z	22	19010KT	77.1F		0:1	0.0	0.0	0.0	0.000	0.18	0.00	0.00	0.00	0.00	0	0	0
240520/1700Z	23	19012KT	78.9F	RAIN	0:1	0.0	0.0	0.0	0.005	0.18	0.00	0.00	0.00	0.00	0	0	100
240520/1800Z	24	18016KT	72.6F	RAIN	0:1	0.0	0.0	0.0	0.083	0.26	0.00	0.00	0.00	0.00	0	0	100
240520/1900Z	25	20016KT	72.0F	RAIN	0:1	0.0	0.0	0.0	0.048	0.31	0.00	0.00	0.00	0.00	0	0	100
240520/2000Z	26	20015KT	69.9F	RAIN	0:1	0.0	0.0	0.0	0.050	0.36	0.00	0.00	0.00	0.00	0	0	100
240520/2100Z	27	23016KT	66.1F	RAIN	0:1	0.0	0.0	0.0	0.109	0.47	0.00	0.00	0.00	0.00	0	0	100
240520/2200Z	28	26012KT	67.4F	DZ	0:1	0.0	0.0	0.0	0.061	0.53	0.00	0.00	0.00	0.00	0	0	100
240520/2300Z	29	25009KT	71.7F		0:1	0.0	0.0	0.0	0.000	0.53	0.00	0.00	0.00	0.00	0	0	0
240521/0000Z	30	22005KT	71.9F	DZ	0:1	0.0	0.0	0.0	0.006	0.54	0.00	0.00	0.00	0.00	0	0	100
240521/0100Z	31	17003KT	70.2F		0:1	0.0	0.0	0.0	0.000	0.54	0.00	0.00	0.00	0.00	0	0	0
240521/0200Z	32	VRB02KT	69.7F		0:1	0.0	0.0	0.0	0.000	0.54	0.00	0.00	0.00	0.00	0	0	0
240521/0300Z	33	30003KT	67.9F	DZ	0:1	0.0	0.0	0.0	0.007	0.55	0.00	0.00	0.00	0.00	0	0	100
240521/0400Z	34	VRB02KT	67.9F		0:1	0.0	0.0	0.0	0.000	0.55	0.00	0.00	0.00	0.00	0	0	0
240521/0500Z	35	VRB01KT	67.5F		0:1	0.0	0.0	0.0	0.000	0.55	0.00	0.00	0.00	0.00	0	0	0
240521/0600Z	36	VRB02KT	65.6F		0:1	0.0	0.0	0.0	0.000	0.55	0.00	0.00	0.00	0.00	0	0	0

Date/hour FHr Wind SfcT Ptype SRat Snow TotSF TotSN QPF TotQPF Sleet TotPL FZRA TotZR S% I% L%

240521/0700Z	37	VRB02KT	63.8F		0:1	0.0	0.0	0.0	0.000	0.55	0.00	0.00	0.00	0.00	0	0	0
240521/0800Z	38	03003KT	62.0F		0:1	0.0	0.0	0.0	0.000	0.55	0.00	0.00	0.00	0.00	0	0	0
240521/0900Z	39	04003KT	61.2F		0:1	0.0	0.0	0.0	0.000	0.55	0.00	0.00	0.00	0.00	0	0	0
240521/1000Z	40	03003KT	61.1F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240521/1100Z	41	06004KT	60.9F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240521/1200Z	42	07004KT	62.0F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240521/1300Z	43	10005KT	63.2F	DZ	0:1	0.0	0.0	0.007	0.007	0.01	0.00	0.00	0.00	0.00	0	0	100
240521/1400Z	44	10006KT	65.6F		0:1	0.0	0.0	0.000	0.000	0.01	0.00	0.00	0.00	0.00	0	0	0
240521/1500Z	45	13011KT	67.9F		0:1	0.0	0.0	0.000	0.000	0.01	0.00	0.00	0.00	0.00	0	0	0
240521/1600Z	46	14014KT	74.2F		0:1	0.0	0.0	0.000	0.000	0.01	0.00	0.00	0.00	0.00	0	0	0
240521/1700Z	47	15014KT	77.4F		0:1	0.0	0.0	0.000	0.000	0.01	0.00	0.00	0.00	0.00	0	0	0
240521/1800Z	48	16015KT	78.3F	DZ	0:1	0.0	0.0	0.009	0.009	0.02	0.00	0.00	0.00	0.00	0	0	100
240521/1900Z	49	17014KT	79.4F	DZ	0:1	0.0	0.0	0.020	0.020	0.04	0.00	0.00	0.00	0.00	0	0	100
240521/2000Z	50	17014KT	80.5F		0:1	0.0	0.0	0.000	0.000	0.04	0.00	0.00	0.00	0.00	0	0	0
240521/2100Z	51	16016KT	81.6F		0:1	0.0	0.0	0.000	0.000	0.04	0.00	0.00	0.00	0.00	0	0	0
240521/2200Z	52	14016KT	78.3F	RAIN	0:1	0.0	0.0	0.004	0.004	0.04	0.00	0.00	0.00	0.00	0	0	100
240521/2300Z	53	20012KT	71.0F	DZ	0:1	0.0	0.0	0.228	0.228	0.27	0.00	0.00	0.00	0.00	0	0	100
240522/0000Z	54	20011KT	71.1F	DZ	0:1	0.0	0.0	0.238	0.238	0.51	0.00	0.00	0.00	0.00	0	0	100
240522/0100Z	55	21013KT	71.7F	DZ	0:1	0.0	0.0	0.024	0.024	0.53	0.00	0.00	0.00	0.00	0	0	100
240522/0200Z	56	21015KT	72.9F	RAIN	0:1	0.0	0.0	0.008	0.008	0.54	0.00	0.00	0.00	0.00	0	0	100
240522/0300Z	57	23020KT	71.1F	RAIN	0:1	0.0	0.0	0.526	0.526	1.06	0.00	0.00	0.00	0.00	0	0	100
240522/0400Z	58	28016KT	66.1F	DZ	0:1	0.0	0.0	0.103	0.103	1.17	0.00	0.00	0.00	0.00	0	0	100
240522/0500Z	59	28014KT	57.3F		0:1	0.0	0.0	0.000	0.000	1.17	0.00	0.00	0.00	0.00	0	0	0
240522/0600Z	60	27011KT	53.9F		0:1	0.0	0.0	0.000	0.000	1.17	0.00	0.00	0.00	0.00	0	0	0
240522/0700Z	61	26011KT	54.2F		0:1	0.0	0.0	0.000	0.000	1.17	0.00	0.00	0.00	0.00	0	0	0
240522/0800Z	62	26012KT	53.5F		0:1	0.0	0.0	0.000	0.000	1.17	0.00	0.00	0.00	0.00	0	0	0
240522/0900Z	63	27012KT	53.0F		0:1	0.0	0.0	0.000	0.000	1.17	0.00	0.00	0.00	0.00	0	0	0
240522/1000Z	64	27012KT	52.2F		0:1	0.0	0.0	0.000	0.000	1.17	0.00	0.00	0.00	0.00	0	0	0
240522/1100Z	65	28012KT	51.7F		0:1	0.0	0.0	0.000	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240522/1200Z	66	28012KT	51.5F		0:1	0.0	0.0	0.000	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240522/1300Z	67	27013KT	51.5F		0:1	0.0	0.0	0.000	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240522/1400Z	68	28012KT	50.8F		0:1	0.0	0.0	0.000	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240522/1500Z	69	28011KT	52.2F		0:1	0.0	0.0	0.000	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240522/1600Z	70	28011KT	54.9F		0:1	0.0	0.0	0.000	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240522/1700Z	71	27010KT	57.1F		0:1	0.0	0.0	0.000	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240522/1800Z	72	27011KT	58.9F		0:1	0.0	0.0	0.000	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
Date/hour    FHr   Wind    SfcT    Ptype   SRat   Snow   TotSF   TotSN    QPF     TotQPF Sleet   TotPL   FZRA   TotZR   S%   I%   L%																	
240522/1900Z	73	28012KT	60.9F		0:1	0.0	0.0	0.000	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240522/2000Z	74	28011KT	62.5F		0:1	0.0	0.0	0.000	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240522/2100Z	75	28010KT	63.2F		0:1	0.0	0.0	0.000	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0

240522/2200Z	76	29010KT	62.3F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240522/2300Z	77	29010KT	61.6F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240523/0000Z	78	30009KT	60.9F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240523/0100Z	79	31008KT	59.6F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240523/0200Z	80	32008KT	58.4F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240523/0300Z	81	33007KT	57.5F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240523/0400Z	82	33004KT	56.4F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240523/0500Z	83	33004KT	53.1F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240523/0600Z	84	30004KT	50.6F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0