

StnID: kosh Model: nam Run: 20240519/1800 Cloud RH threshold: 85% Sleet Ratio: 2:1 | CarSnowTool 5.7

Date/hour	FHr	Wind	SfcT	Ptype	SRat	Snow	TotSF	TotSN	QPF	TotQPF	Sleet	TotPL	FZRA	TotZR	S%	I%	L%
240519/1900Z	1	27003KT	74.4F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240519/2000Z	2	28004KT	74.9F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240519/2100Z	3	29004KT	75.1F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240519/2200Z	4	VRB02KT	74.7F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240519/2300Z	5	VRB01KT	73.1F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240520/0000Z	6	11004KT	70.8F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240520/0100Z	7	12004KT	67.2F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240520/0200Z	8	14005KT	63.8F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240520/0300Z	9	14005KT	61.6F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240520/0400Z	10	15007KT	60.2F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240520/0500Z	11	14008KT	58.0F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240520/0600Z	12	13007KT	58.4F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240520/0700Z	13	15003KT	56.9F	RAIN	0:1	0.0	0.0	0.0	0.012	0.01	0.00	0.00	0.00	0.00	0	0	100
240520/0800Z	14	14004KT	55.3F		0:1	0.0	0.0	0.0	0.000	0.01	0.00	0.00	0.00	0.00	0	0	0
240520/0900Z	15	13007KT	52.4F		0:1	0.0	0.0	0.0	0.000	0.01	0.00	0.00	0.00	0.00	0	0	0
240520/1000Z	16	13007KT	51.2F		0:1	0.0	0.0	0.0	0.000	0.01	0.00	0.00	0.00	0.00	0	0	0
240520/1100Z	17	14008KT	53.5F	RAIN	0:1	0.0	0.0	0.0	0.039	0.05	0.00	0.00	0.00	0.00	0	0	100
240520/1200Z	18	13009KT	52.6F	RAIN	0:1	0.0	0.0	0.0	0.082	0.13	0.00	0.00	0.00	0.00	0	0	100
240520/1300Z	19	13009KT	54.2F	RAIN	0:1	0.0	0.0	0.0	0.049	0.18	0.00	0.00	0.00	0.00	0	0	100
240520/1400Z	20	17006KT	57.3F	RAIN	0:1	0.0	0.0	0.0	0.022	0.20	0.00	0.00	0.00	0.00	0	0	100
240520/1500Z	21	VRB02KT	59.4F	RAIN	0:1	0.0	0.0	0.0	0.082	0.29	0.00	0.00	0.00	0.00	0	0	100
240520/1600Z	22	11004KT	60.7F	DZ	0:1	0.0	0.0	0.0	0.052	0.34	0.00	0.00	0.00	0.00	0	0	100
240520/1700Z	23	14008KT	66.5F	DZ	0:1	0.0	0.0	0.0	0.022	0.36	0.00	0.00	0.00	0.00	0	0	100
240520/1800Z	24	17009KT	73.1F		0:1	0.0	0.0	0.0	0.000	0.36	0.00	0.00	0.00	0.00	0	0	0
240520/1900Z	25	18010KT	76.4F		0:1	0.0	0.0	0.0	0.000	0.36	0.00	0.00	0.00	0.00	0	0	0
240520/2000Z	26	20012KT	77.6F	RAIN	0:1	0.0	0.0	0.0	0.021	0.38	0.00	0.00	0.00	0.00	0	0	100
240520/2100Z	27	21014KT	78.5F	RAIN	0:1	0.0	0.0	0.0	0.029	0.41	0.00	0.00	0.00	0.00	0	0	100
240520/2200Z	28	20015KT	75.1F	RAIN	0:1	0.0	0.0	0.0	0.043	0.45	0.00	0.00	0.00	0.00	0	0	100
240520/2300Z	29	19011KT	68.6F	RAIN	0:1	0.0	0.0	0.0	0.019	0.47	0.00	0.00	0.00	0.00	0	0	100
240521/0000Z	30	19012KT	66.6F	RAIN	0:1	0.0	0.0	0.0	0.036	0.51	0.00	0.00	0.00	0.00	0	0	100
240521/0100Z	31	22009KT	66.1F	RAIN	0:1	0.0	0.0	0.0	0.104	0.61	0.00	0.00	0.00	0.00	0	0	100
240521/0200Z	32	27013KT	66.5F	DZ	0:1	0.0	0.0	0.0	0.009	0.62	0.00	0.00	0.00	0.00	0	0	100
240521/0300Z	33	28011KT	66.5F		0:1	0.0	0.0	0.0	0.000	0.62	0.00	0.00	0.00	0.00	0	0	0
240521/0400Z	34	29007KT	65.9F		0:1	0.0	0.0	0.0	0.000	0.62	0.00	0.00	0.00	0.00	0	0	0
240521/0500Z	35	28004KT	65.6F		0:1	0.0	0.0	0.0	0.000	0.62	0.00	0.00	0.00	0.00	0	0	0
240521/0600Z	36	25003KT	65.2F		0:1	0.0	0.0	0.0	0.000	0.62	0.00	0.00	0.00	0.00	0	0	0

Date/hour FHr Wind SfcT Ptype SRat Snow TotSF TotSN QPF TotQPF Sleet TotPL FZRA TotZR S% I% L%

240521/0700Z	37	VRB02KT	65.2F		0:1	0.0	0.0	0.0	0.000	0.62	0.00	0.00	0.00	0.00	0	0	0
240521/0800Z	38	VRB02KT	65.0F		0:1	0.0	0.0	0.0	0.000	0.62	0.00	0.00	0.00	0.00	0	0	0
240521/0900Z	39	VRB02KT	64.8F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240521/1000Z	40	VRB02KT	64.5F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240521/1100Z	41	09003KT	64.5F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240521/1200Z	42	09006KT	64.5F	DZ	0:1	0.0	0.0	0.0	0.004	0.00	0.00	0.00	0.00	0.00	0	0	100
240521/1300Z	43	10008KT	63.8F	DZ	0:1	0.0	0.0	0.003	0.01	0.00	0.00	0.00	0.00	0.00	0	0	100
240521/1400Z	44	10010KT	62.1F		0:1	0.0	0.0	0.000	0.01	0.00	0.00	0.00	0.00	0.00	0	0	0
240521/1500Z	45	10013KT	59.6F		0:1	0.0	0.0	0.000	0.01	0.00	0.00	0.00	0.00	0.00	0	0	0
240521/1600Z	46	10013KT	58.5F		0:1	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0
240521/1700Z	47	11013KT	59.4F		0:1	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0
240521/1800Z	48	11013KT	61.1F		0:1	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0
240521/1900Z	49	11014KT	63.4F		0:1	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0
240521/2000Z	50	12014KT	64.7F		0:1	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0
240521/2100Z	51	12014KT	66.6F		0:1	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0
240521/2200Z	52	12015KT	65.4F		0:1	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0
240521/2300Z	53	12013KT	65.2F		0:1	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0
240522/0000Z	54	12013KT	63.6F		0:1	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0
240522/0100Z	55	12023KT	61.8F		0:1	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0
240522/0200Z	56	18011KT	64.7F	RAIN	0:1	0.0	0.0	0.123	0.12	0.00	0.00	0.00	0.00	0.00	0	0	100
240522/0300Z	57	18004KT	65.0F	RAIN	0:1	0.0	0.0	0.800	0.92	0.00	0.00	0.00	0.00	0.00	0	0	100
240522/0400Z	58	19016KT	69.9F	DZ	0:1	0.0	0.0	0.005	0.93	0.00	0.00	0.00	0.00	0.00	0	0	100
240522/0500Z	59	24010KT	69.3F	RAIN	0:1	0.0	0.0	0.054	0.98	0.00	0.00	0.00	0.00	0.00	0	0	100
240522/0600Z	60	19009KT	68.6F	DZ	0:1	0.0	0.0	0.011	0.99	0.00	0.00	0.00	0.00	0.00	0	0	100
240522/0700Z	61	23019KT	69.3F		0:1	0.0	0.0	0.000	0.99	0.00	0.00	0.00	0.00	0.00	0	0	0
240522/0800Z	62	24019KT	62.3F		0:1	0.0	0.0	0.000	0.99	0.00	0.00	0.00	0.00	0.00	0	0	0
240522/0900Z	63	25017KT	56.4F		0:1	0.0	0.0	0.000	0.99	0.00	0.00	0.00	0.00	0.00	0	0	0
240522/1000Z	64	26016KT	53.0F		0:1	0.0	0.0	0.000	0.99	0.00	0.00	0.00	0.00	0.00	0	0	0
240522/1100Z	65	26015KT	52.1F		0:1	0.0	0.0	0.000	0.99	0.00	0.00	0.00	0.00	0.00	0	0	0
240522/1200Z	66	26015KT	52.2F		0:1	0.0	0.0	0.000	0.99	0.00	0.00	0.00	0.00	0.00	0	0	0
240522/1300Z	67	27015KT	52.2F		0:1	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0
240522/1400Z	68	26015KT	52.8F		0:1	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0
240522/1500Z	69	26014KT	53.7F		0:1	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0
240522/1600Z	70	26014KT	54.9F		0:1	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0
240522/1700Z	71	26014KT	58.7F		0:1	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0
240522/1800Z	72	26014KT	60.7F		0:1	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0
Date/hour	FHr	Wind	SfcT	Ptype	SRat	Snow	TotSF	TotSN	QPF	TotQPF	Sleet	TotPL	FZRA	TotZR	S%	I%	L%
240522/1900Z	73	26014KT	62.0F		0:1	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0
240522/2000Z	74	26014KT	63.4F		0:1	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0
240522/2100Z	75	26013KT	63.6F		0:1	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0

240522/2200Z	76	27012KT	63.2F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240522/2300Z	77	28011KT	61.6F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240523/0000Z	78	30011KT	60.2F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240523/0100Z	79	31010KT	58.7F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240523/0200Z	80	32009KT	57.3F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240523/0300Z	81	32007KT	55.7F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240523/0400Z	82	31004KT	51.5F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240523/0500Z	83	31006KT	50.3F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
240523/0600Z	84	32007KT	50.6F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0