

This response displays a list of identifiers for Texts as follows:

```
Text Identifiers

1) FFGHD   2) FFHHD   3) CWAATL   4) CWABHM   5) CWAENA
6) CWAFTW  7) CWAGSP   8) CWAJAN

Select (a-add c-change d-delete l-list m-more p-previous):
Enter id:
```

Response a-add or c-change

For a-add or c-change the following prompt appears for the input source:

Enter Parameters (f-file [t]-terminal m-menu):

Response f-file input

The response 'f' prompts for a complete directory and filename of an ASCII file containing the desired parameters. The input data required in a file depends on the parameter type. The input data is described in DEFINE-TEXT.

Response t - terminal input

Response 't' designating terminal input for Texts prompts for an identifier:

Enter Text ID:

After entering an identifier from the list, the edit screen is displayed.

```
Edit Text Parameters - FFGHD

Lines of text are: 9
1) COUNTY Flash Flood Guidance
2) National Weather Service
3) Arkansas Red Basin River Forecast
Center...Tulsa OK
4) ISSUED
5) (blank line)
6) DOTB TUR
7) : Average rainfall in inches needed to
begin flooding
8) : ID 1HR 3HR 6HR Name
9) :-----
-----
Enter line # (0-exit):
```

Selecting a number prompts for entering information for the selected line.

Entering 0 (zero) returns to the Text Identifiers menu.

Entering a line number and then the word 'skip' at the beginning of the line creates a blank line.

After selecting a-add, c-change or d-delete, prompts appear for an identifier number and identifier:

Enter (number):

Enter identifier:

Selection 'a' moves current identifiers and inserts a new product identifier at the designated number. Selection 'c' replaces the current identifier at number with the new identifier. Selection 'd' removes the desired identifier at number by compressing the identifiers.

Response d-delete

This response displays the following prompt:

Delete number:

Identifier:

Are you sure (y or n):

By responding with the desired identifier number from the identifier list and the corresponding identifier, parameters for the identifier will be deleted and the index compressed. A response of 'n' will abort the deletion process and return to the identifier list.

Response l-list

The response displays the following prompt to write parameters to an ASCII file:

Directory and name of output file (<return>-exit)

Enter:

After entering the complete directory and filename, prompts appear for a range of identifier numbers from the identifier list:

List from (1):

to (nnn):

where nnn is the maximum number of identifiers.

Parameters for the beginning identifier number through the ending identifier number are written to the specified file. The file can be edited and read as an input file when response a-add or c-change is selected followed by response f-file.

Response m-more

Response 'm' for the prompt displays the next screen of identifiers when more identifiers exist beyond the current display.

Response p-previous

Response 'p' for the prompt displays the previous screen of identifiers when more than 100 identifiers exist and the first identifier displayed is not identifier labeled 1).