

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data Hourly Observations October 1985

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 38 ft. Lat: 30.2050° N Lon: -91.9875° W

Generated on 02/17/2022

Station: LAFAYETTE REGIONAL AIRPORT, LA US WBAN: 72240513976 (KLFT)

| Date | Time (LST) | Station Type | Sky Conditions | Visi- bility | Weather Type (see documentation) AU AW MW | Dry Bulb Temp | | Wet Bulb Temp | | Dew Point Temp | | Rel Hum % | Wind Speed (MPH) | Wind Dir (Deg) | Wind Gusts (MPH) | Station Press (inHg) | Press. Tend | Net 3-Hr Change (inHg) | Sea Level Press. (inHg) | Report Type | Precip Total (in) | Alti- meter Setting (inHg) |
|------|------------|--------------|----------------|-----------------|--|---------------|------|---------------|-----|----------------|------|-----------|------------------|----------------|------------------|----------------------|-------------|------------------------|-------------------------|-------------|-------------------|-------------------------------|
| | | | | | | (F) | (C) | (F) | (C) | (F) | (C) | | | | | | | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| 27 | 0100 | 4 | | 2.98 | FG SHRA | 68 | 20.0 | | | 67 | 19.4 | 96 | 14 | 040 | | | | | 29.82 | SAO | | 29.82 |
| 27 | 0200 | 4 | | 2.98 | FG SHRA | 68 | 20.0 | | | 67 | 19.4 | 96 | 11 | 020 | | | | | 29.80 | SAO | | 29.80 |
| 27 | 0300 | 4 | | 2.98 | FG SHRA | 67 | 19.4 | | | 66 | 18.9 | 97 | 16 | 030 | | | 8 | +0.03 | 29.79 | SAO | | 29.79 |
| 27 | 0400 | 4 | | 2.98 | FG RA | 67 | 19.4 | | | 66 | 18.9 | 97 | 14 | 040 | | | | | 29.78 | SAO | | 29.78 |
| 27 | 0500 | 4 | | 2.98 | FG RA | 66 | 18.9 | | | 65 | 18.3 | 96 | 17 | 040 | | | | | 29.79 | SAO | | 29.79 |
| 27 | 0533 | 4 | | 2.98 | FG RA | | | | | | | | 17 | 040 | | | | | | SAOS P | | 29.78 |
| 27 | 0600 | 4 | | 2.98 | FG RA | 66 | 18.9 | | | 65 | 18.3 | 96 | 14 | 030 | 22 | | 7 | +0.01 | 29.79 | SAO | | 29.79 |
| 27 | 0700 | 4 | | 2.98 | FG RA | 65 | 18.3 | | | 63 | 17.2 | 93 | 17 | 040 | | | | | 29.79 | SAO | | 29.79 |
| 27 | 0800 | 4 | | 2.98 | FG RA | 64 | 17.8 | | | 62 | 16.7 | 93 | 13 | 040 | 20 | | | | 29.80 | SAO | | 29.80 |
| 27 | 0832 | 4 | | 1.99 | FG RA | | | | | | | | 11 | 020 | | | | | | SAOS P | | 29.81 |
| 27 | 0900 | 4 | | 1.99 | FG RA | 64 | 17.8 | | | 63 | 17.2 | 96 | 13 | 020 | | | 1 | -0.01 | 29.80 | SAO | | 29.80 |
| 27 | 0910 | 4 | | 0.99 | FG RA | | | | | | | | 14 | 020 | | | | | | SAOS P | | |
| 27 | 1000 | 4 | | 0.75 | FG RA | 63 | 17.2 | | | 62 | 16.7 | 97 | 11 | 020 | | | | | | SAO | | |
| 27 | 1005 | 4 | | 1.99 | FG RA | | | | | | | | 16 | 020 | | | | | | SAOS P | | 29.79 |
| 27 | 1030 | 4 | | 2.98 | FG RA | | | | | | | | 17 | 030 | | | | | | SAOS P | | 29.77 |
| 27 | 1100 | 4 | | 2.98 | FG DZ | 63 | 17.2 | | | 62 | 16.7 | 97 | 11 | 030 | | | | | 29.78 | SAO | | 29.78 |
| 27 | 1200 | 4 | | 2.98 | FG DZ | 63 | 17.2 | | | 62 | 16.7 | 97 | 13 | 040 | | | 8 | +0.05 | 29.75 | SAO | | 29.75 |
| 27 | 1300 | 4 | | 4.97 | FG DZ | 63 | 17.2 | | | 62 | 16.7 | 97 | 16 | 030 | | | | | 29.71 | SAO | | 29.71 |
| 27 | 1400 | 4 | | 3.98 | FG RA | 63 | 17.2 | | | 62 | 16.7 | 97 | 15 | 020 | | | | | 29.68 | SAO | | 29.68 |
| 27 | 1500 | 4 | | 1.49 | FG RA | 63 | 17.2 | | | 62 | 16.7 | 97 | 15 | 020 | | | 7 | +0.09 | 29.66 | SAO | | 29.65 |
| 27 | 1530 | 4 | | 0.75 | FG RA | | | | | | | | 14 | 020 | | | | | | SAOS P | | 29.64 |
| 27 | 1600 | 4 | | 0.06 | FG RA | 63 | 17.2 | | | 62 | 16.7 | 97 | 11 | 020 | | | | | 29.64 | SAO | | 29.64 |
| 27 | 1610 | 4 | | 1.99 | FG RA | | | | | | | | 16 | 020 | | | | | | SAOS P | | 29.63 |
| 27 | 1700 | 4 | | 1.99 | FG RA | 63 | 17.2 | | | 62 | 16.7 | 97 | 18 | 020 | | | | | 29.62 | SAO | | 29.61 |
| 27 | 1800 | 4 | | 1.49 | FG RA | 64 | 17.8 | | | 63 | 17.2 | 96 | 18 | 020 | | | 7 | +0.07 | 29.58 | SAO | | 29.58 |
| 27 | 1819 | 4 | | 4.97 | FG RA | | | | | | | | 22 | 360 | | | | | | SAOS P | | 29.57 |
| 27 | 1900 | 4 | | 4.97 | FG RA | 63 | 17.2 | | | 62 | 16.7 | 97 | 13 | 010 | | | | | 29.56 | SAO | | 29.56 |
| 27 | 2000 | 4 | | 4.97 | FG RA | 63 | 17.2 | | | 62 | 16.7 | 97 | 15 | 360 | | | | | 29.52 | SAO | | 29.52 |
| 27 | 2100 | 4 | | 4.97 | FG RA | 64 | 17.8 | | | 62 | 16.7 | 93 | 17 | 360 | 26 | | 8 | +0.10 | 29.48 | SAO | | 29.48 |
| 27 | 2200 | 4 | | 4.97 | FG RA | 64 | 17.8 | | | 63 | 17.2 | 96 | 20 | 020 | 29 | | | | 29.44 | SAO | | 29.44 |
| 27 | 2300 | 4 | | 2.98 | FG RA | 64 | 17.8 | | | 63 | 17.2 | 96 | 25 | 020 | 31 | | | | 29.35 | SAO | | 29.35 |

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service
Current Location: Elev: 38 ft. Lat: 30.2050° N Lon: -91.9875° W
Station: LAFAYETTE REGIONAL AIRPORT, LA US WBAN: 72240513976 (KLFT)

Local Climatological Data
Hourly Remarks
October 1985
Generated on 02/17/2022

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

| Date | Time (LST) | Remarks |
|------|------------|-----------------------|
| 27 | 0100 | AWY008CIG RGD? |
| 27 | 0200 | AWY008CIG RGD? |
| 27 | 0300 | AWY013CIG RGD/ 810? |
| 27 | 0400 | AWY008CIG RGD? |
| 27 | 0600 | AWY01570282 66 20129? |
| 27 | 0900 | AWY004105? |
| 27 | 1000 | AWY008CIG RGD? |
| 27 | 1200 | AWY007817 63? |
| 27 | 1400 | AWY008CIG RGD? |
| 27 | 1500 | AWY013CIG RGD/ 732? |
| 27 | 1530 | AWY008CIG RGD? |
| 27 | 1600 | AWY008CIG RGD? |
| 27 | 1610 | AWY008CIG RGD? |
| 27 | 1700 | AWY008CIG RGD? |
| 27 | 1800 | AWY00972512 65? |
| 27 | 2100 | AWY004834? |
| 27 | 2300 | AWY007PRESFR? |

