

Local Climatological Data
Daily Summary
September 1998
 Generated on 10/31/2023

Current Location: Elev: 16 ft. Lat: 29.9506° N Lon: 94.0206° W

Station: **PORT ARTHUR SE TX REGIONAL AIRPORT, TX US WBAN:12917 (ICAO:KBPT)**

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH						
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set		Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn		Avg SL	Avg Speed	Direction = Degrees				
												Peak Speed						Peak Dir			Sust. Speed	Sust. Dir			
	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23			
01	92	74	83	-0.2s				0s	18s	0553	1839	FG BR	0.00			29.71		11.0	24	050	21	040			
02	94	74	84	0.8				0	19	0554	1838	HZ	0.00			29.68		8.4	24	030	18	030			
03	96*	72	84	0.9				0	19	0554	1836	FG BR HZ	0.00			29.74		2.9	9	210	8	200			
04	94	72	83	-0.1				0	18	0555	1835	FG BR HZ	0.00			29.86		4.2	15	180	13	190			
05	92	73	83	0.0				0	18	0555	1834	FG BR	0.00			29.93		7.0	28	120	22	130			
06	87	74	81	-1.9				0	16	0556	1833	TS RA BR	0.23			29.92		6.9	26	070	22	060			
07	90	73	82	-0.8				0	17	0556	1832	RA FG BR HZ	0.03			29.84		10.4	29	090	25	090			
08	90	75	83	0.2				0	18	0557	1830	RA FG BR	T		0	29.71		10.5	26	130	22	130			
09	89	76	83	0.3				0	18	0557	1829		T		0	29.71		15.7	36	070	30	070			
10	78	74	76	-6.6				0	11	0558	1828	RA FG BR	2.35			29.70		22.9	41	080	34	080			
11	83	76	80	-2.4				0	15	0558	1827	RA FG BR	3.23			29.57		22.4	48	090	38	080			
12	85	78	82	-0.3				0	17	0559	1825	RA FG BR	1.09			29.60		15.7	36	200	29	190			
13	81	77	79	-3.2				0	14	0559	1824	RA FG BR	1.85			29.64		9.5	24	180	20	130			
14	83	75	79	-3.1				0	14	0600	1823	RA FG BR	2.52			29.72		10.7	28	150	24	150			
15	81	75	78	-3.9				0	13	0601	1822	RA FG BR	1.08			29.80		9.9	25	130	22	130			
16	87	75	81	-0.8				0	16	0601	1820	RA FG BR	T			29.84		9.8	21	100	18	090			
17	91	73	82	0.4				0	17	0602	1819	FG BR	0.00			29.78		9.8	21	040	17	010			
18	90	76	83	1.6				0	18	0602	1818	TS RA HZ	0.48			29.73		9.2	29	050	24	060			
19	90	76	83	1.7				0	18	0603	1817	FG BR	0.00			29.68		4.6	14	060	11	070			
20	91	76	84	2.9				0	19	0603	1815	FG BR HZ	0.00			29.70		5.0	15	200	14	190			
21	91	76	84	3.1				0	19	0604	1814	FG BR	0.00			29.76		4.3	14	200	13	180			
22	92	75	84	3.3				0	19	0604	1813	TS RA FG BR	0.32			29.85		4.2	25	060	21	060			
23	93	74	84	3.5				0	19	0605	1812	FG BR	0.00			29.88		7.1	17	030	14	010			
24	91	76	84	3.8				0	19	0605	1810	FG BR HZ	0.00			29.90		5.4	15	100	13	120			
25	90	74	82	2.0				0	17	0606	1809	FG BR HZ	0.00			29.90		7.3	20	080	16	080			
26	90	77	84	4.2				0	19	0606	1808	FG BR	0.00			29.87		7.5	18	130	15	120			
27	94	75	85	5.5				0	20	0607	1807	FG BR HZ	0.00			29.81		7.8	22	020	16	360			
28	95	74	85	5.7				0	20	0608	1805	FG BR	0.00			29.74		9.7	28	330	21	350			
29	95	74	85	6.0				0	20	0608	1804	FG BR	0.00			29.76		7.4	20	360	15	010			
30	94	72*	83	4.2				0	18	0609	1803	FG BR	T			29.81		3.2	13	050	11	050			
	89.6	74.7	82.2							Monthly Averages Totals			13.18			29.77	29.83	6.7							
	-2.1	0.5	-0.8							Departure from Normal (1981-2010)			7.23s												
	Degree Days										Number of days with...														
	Monthly				Season-to-date				Temperature				Precipitation			Snow		Weather							
	Total		Departure		Total		Departure		Max		Min		>=0.01"		>=0.1"	>=1"	T-Storms	Heavy Fog							
Heating	0		0		0				>=90°		<=32°		<=32°		<=0°	0	0	0							
Cooling	588		32		1685				21s		0		0		0	0									
Date of 5-sec to 3-sec wind equipment change								Sea Level Pressure					Greatest...												
2007-06-20								Maximum		30.05		Date		11		Time		1806		24-Hr...			Snow Depth		
								Minimum		29.58												Precip	Snowfall		
																								Date	
Station Augmentation																									
Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A																									

Local Climatological Data Hourly Observations September 1998

Current Location: Elev: 16 ft. Lat: 29.9506° N Lon: 94.0206° W

Generated on 10/31/2023

Station: **PORT ARTHUR SE TX REGIONAL AIRPORT, TX US WBAN:12917 (ICAO:KBPT)**

Date	Time (LST)	Station Type	Sky Conditions	Visi- bility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press Tend	Net 3-Hr Change (inHg)	Sea Level Press (inHg)	Report Type	Precip Total (in)	Alti- meter Setting (inHg)
					AU AW MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
10	0021	4	FEW:02 21 OVC:08 27	10.00		77	25.0	74	23.3	72	22.2	83	21	060	30	29.78			29.80	FM-16		29.80
10	0053	C	FEW:02 17 OVC:08 24	8.95		76	24.4	73	22.8	72	22.2	88	17	060		29.77			29.79	FM-15	0.00	29.79
10	0100	9																		NSRDB		
10	0153	C	OVC:08 19	9.94		76	24.4	73	22.8	72	22.2	88	21	070	29	29.75			29.78	FM-15	T	29.78
10	0200	9																		NSRDB		
10	0253	C	OVC:08 17	8.95	RA	75	23.9	74	23.3	73	22.8	94	17	070	24	29.75	6	+0.04	29.78	FM-15	0.02	29.78
10	0300	9																		NSRDB		
10	0353	C	OVC:08 13	7.95	RA	75	23.9	74	23.3	73	22.8	94	16	070	25	29.75			29.77	FM-15	T	29.77
10	0400	9																		NSRDB		
10	0453	C	BKN:07 15 OVC:08 21	7.95	RA	75	23.9	74	23.3	73	22.8	94	18	070	25	29.75			29.77	FM-15	0.01	29.77
10	0500	9																		NSRDB		
10	0600	3	OVC:08 15	8.95	RA	75	23.9	73	22.8	72	22.2	90	17	070		29.75	3	0.00	29.78	SY-MT	T	29.78
10	0653	C	BKN:07 16 BKN:07 25 OVC:08 41	4.97	FG RA	75	23.9	74	23.3	73	22.8	94	23	070	31	29.77			29.78	FM-15	0.04	29.79
10	0700	9																		NSRDB		
10	0721	4	OVC:08 12	6.00	RA	75	23.9	74	23.3	73	22.8	94	22	070	30	29.77			29.79	FM-16		29.79
10	0753	C	OVC:08 12	3.98	FG RA	74	23.3	73	22.8	73	22.8	97	22	070	29	29.77			29.79	FM-15	0.05	29.79
10	0800	9																		NSRDB		
10	0853	C	OVC:08 12	5.97	FG RA	75	23.9	74	23.3	73	22.8	94	21	080	31	29.77	0	0.00	29.78	FM-15	0.03	29.79
10	0900	9																		NSRDB		
10	0953	C	FEW:02 12 BKN:07 18 OVC:08 40	5.97	FG RA	76	24.4	74	23.3	73	22.8	91	22	060	34	29.78			29.79	FM-15	0.02	29.80
10	1000	9																		NSRDB		
10	1053	C	BKN:07 16 OVC:08 22	2.98	FG RA	77	25.0	75	23.9	74	23.3	90	25	070	36	29.77			29.78	FM-15	0.01	29.79
10	1100	9																		NSRDB		
10	1141	4	BKN:07 16 OVC:08 21	1.75	RA	75	23.9	75	23.9	75	23.9	100	25	070	33	29.75			29.77	FM-16		29.77
10	1144	4	BKN:07 16 OVC:08 21	1.25	RA	75	23.9	74	23.3	73	22.8	94	29	080	38	29.75			29.78	FM-16		29.78
10	1200	3	BKN:07 11 OVC:08 18	2.98	FG RA	76	24.4	75	23.9	75	23.9	97	24	080	31	29.74	8	+0.01	29.77	SY-MT	0.07	29.77
10	1232	4	FEW:02 11 BKN:07 19 OVC:08 27	1.75	RA	77	25.0	76	24.4	75	23.9	94	21	080	33	29.74			29.76	FM-16		29.76
10	1240	4	BKN:07 15 OVC:08 21	1.00	RA	75	23.9	75	23.9	75	23.9	100	22	070	31	29.72			29.75	FM-16		29.75
10	1253	4	BKN:07 15 OVC:08 21	1.25	RA	75	23.9	75	23.9	75	23.9	100	21	080	31	29.72			29.75	FM-15	0.18	29.75
10	1300	3	FEW:02 8	1.24	FG RA	76	24.4	75	23.9	75	23.9	97	21	080	30	29.72			29.75	FM-15	0.18	29.75

			OVC:08 14																			
10	1311	4	FEW:02 5 BKN:07 12 OVC:08 19	0.75	RA	75	23.9	74	23.3	73	22.8	94	34	070	39	29.72			29.75	FM-16		29.75
10	1318	4	BKN:07 8 BKN:07 14 OVC:08 21	1.00	RA	75	23.9	74	23.3	73	22.8	94	30	080	41	29.72			29.75	FM-16		29.75
10	1325	4	FEW:02 8 BKN:07 14 OVC:08 18	2.00	RA	75	23.9	74	23.3	73	22.8	94	29	070	38	29.72			29.74	FM-15	0.34	29.74
10	1353	C	BKN:07 11 BKN:07 17 OVC:08 24	2.98	FG RA	75	23.9	74	23.3	74	23.3	96	26	070	38	29.70			29.73	FM-15	0.44	29.73
10	1400	9																		NSRDB		
10	1420	4	BKN:07 11 OVC:08 17	2.50	RA	75	23.9	74	23.3	73	22.8	94	29	080	37	29.70			29.72	FM-15	0.06	29.73
10	1430	4	FEW:02 7 FEW:02 11 OVC:08 17	2.00	RA	75	23.9	74	23.3	73	22.8	94	28	080	32	29.70			29.72	FM-15	0.11	29.72
10	1438	4	BKN:07 10 OVC:08 17	1.50	RA	75	23.9	74	23.3	73	22.8	94	28	080	37	29.70			29.72	FM-16		29.72
10	1453	C	FEW:02 8 BKN:07 15 OVC:08 21	1.99	FG RA	76	24.4	75	23.9	74	23.3	94	29	080	34	29.70	6	+0.05	29.72	FM-15	0.24	29.73
10	1501	3	FEW:02 10 BKN:07 17 OVC:08 22	1.25	RA	75	23.9	74	23.3	73	22.8	94	21	070	34	29.70			29.72	FM-16		29.73
10	1508	4	FEW:02 10 BKN:07 15 OVC:08 21	2.00	RA	75	23.9	74	23.3	73	22.8	94	25	080	33	29.70			29.72	FM-16		29.72
10	1529	4	BKN:07 13 OVC:08 21	2.00	RA	77	25.0	74	23.3	73	22.8	89	25	090	38	29.70			29.72	FM-16		29.72
10	1543	4	OVC:08 15	3.00	RA	75	23.9	74	23.3	73	22.8	94	25	080	38	29.70			29.72	FM-16		29.72
10	1553	C	OVC:08 13	2.98	FG RA	76	24.4	75	23.9	74	23.3	94	29	080	34	29.70			29.72	FM-15	0.15	29.72
10	1608	3	OVC:08 15	10.00	RA	75	23.9	74	23.3	73	22.8	94	26	080	39	29.70			29.72	FM-16		29.72
10	1639	4	BKN:07 13 OVC:08 18	3.00	RA	75	23.9	74	23.3	73	22.8	94	31	080	36	29.70			29.72	FM-16		29.73
10	1653	C	BKN:07 11 OVC:08 16	1.49	FG RA	76	24.4	75	23.9	74	23.3	94	26	070	31	29.70			29.72	FM-15	0.10	29.72
10	1702	3	FEW:02 11 BKN:07 14 OVC:08 19	3.00	RA	75	23.9	74	23.3	73	22.8	94	26	080	36	29.70			29.72	FM-16		29.72
10	1710	4	FEW:02 10 BKN:07 13 OVC:08 21	2.50	RA	75	23.9	74	23.3	73	22.8	94	25	070	34	29.70			29.72	FM-16		29.73
10	1755	4	FEW:02 8 BKN:07 12 OVC:08 19	3.00	RA	75	23.9	74	23.3	73	22.8	94	24	080	37	29.70			29.72	FM-15	0.01	29.73
10	1800	3	BKN:07 12 OVC:08 19	2.49	FG RA	75	23.9	74	23.3	73	22.8	94	26	080	37	29.70	3	-0.01	29.73	SY-MT	0.07	29.73
10	1802	4	BKN:07 12 OVC:08 19	2.00	RA	73	22.8	73	22.8	73	22.8	100	25	080	34	29.72			29.74	FM-16		29.74
10	1811	4	FEW:02 9 BKN:07 14 OVC:08 19	3.00	RA	73	22.8	73	22.8	73	22.8	100	26	070	34	29.72			29.74	FM-16		29.74
10	1818	4	FEW:02 9 BKN:07 12 OVC:08 19	2.50	RA	73	22.8	73	22.8	73	22.8	100	26	070	36	29.70			29.72	FM-16		29.73
10	1853	C	FEW:02 9 BKN:07 12 OVC:08 19	2.49	FG RA	75	23.9	74	23.3	73	22.8	94	26	080	33	29.70			29.72	FM-15	0.14	29.73
10	1900	9																		NSRDB		

10	1953	C	BKN:07 12 OVC:08 16	9.94	RA	75	23.9	74	23.3	73	22.8	94	24	080	33	29.72			29.74	FM-15	0.09	29.74
10	2000	9																		NSRDB		
10	2053	C	OVC:08 10	3.98	FG RA	75	23.9	74	23.3	74	23.3	96	21	070	31	29.72	3	-0.02	29.75	FM-15	0.11	29.75
10	2100	9																		NSRDB		
10	2123	4	BKN:07 10 OVC:08 14	2.50	RA	75	23.9	74	23.3	73	22.8	94	28	070	37	29.72			29.75	FM-16		29.75
10	2130	4	BKN:07 10 OVC:08 14	4.00	RA	75	23.9	74	23.3	73	22.8	94	24	070	36	29.72			29.74	FM-15	0.18	29.74
10	2153	C	BKN:07 10 OVC:08 14	2.98	FG RA	75	23.9	74	23.3	74	23.3	96	26	080	37	29.72			29.74	FM-15	0.29	29.74
10	2204	3	BKN:07 8 OVC:08 14	2.50	RA	75	23.9	74	23.3	73	22.8	94	26	080	34	29.72			29.74	FM-16		29.74
10	2213	4	BKN:07 8 OVC:08 14	1.75	RA	75	23.9	74	23.3	73	22.8	94	28	070	34	29.70			29.72	FM-16		29.73
10	2217	4	BKN:07 8 BKN:07 14 OVC:08 21	3.00	RA	75	23.9	74	23.3	73	22.8	94	31	080	36	29.70			29.72	FM-16		29.73
10	2232	4	BKN:07 10 BKN:07 18 OVC:08 37	7.00	RA	75	23.9	74	23.3	73	22.8	94	25	080	34	29.72			29.74	FM-16		29.74
10	2245	4	BKN:07 8 BKN:07 16 OVC:08 28	8.00	RA	75	23.9	74	23.3	73	22.8	94	26	080	36	29.70			29.72	FM-15	0.20	29.73
10	2253	C	FEW:02 8 BKN:07 15 OVC:08 32	5.97	FG RA	76	24.4	75	23.9	74	23.3	94	26	080	36	29.70			29.72	FM-15	0.21	29.73
10	2304	3	BKN:07 10 BKN:07 19 OVC:08 34	7.00	RA	75	23.9	74	23.3	73	22.8	94	24	100	41	29.70			29.72	FM-16		29.73

Local Climatological Data
Hourly Remarks
September 1998
 Generated on 10/31/2023

Current Location: Elev: 16 ft. Lat: 29.9506° N Lon: 94.0206° W

Station: **PORT ARTHUR SE TX REGIONAL AIRPORT, TX US WBAN:12917 (ICAO:KBPT)**

Date	Time (LST)	Remarks
10	0021	MET026NEW AO2 PK WND 05026/0603;
10	0053	MET043NEW AO2 PK WND 05026/0603 SLP087 T02440222;
10	0153	MET056NEW AO2 PK WND 07029/0721 RAB05E26 SLP084 P0000 T0244022
10	0253	MET067NEW AO2 PK WND 08029/0807 RAB05 SLP083 P0002 60002 T02390228 56012;
10	0353	MET031NEW AO2 SLP082 P0000 T02390228;
10	0453	MET031NEW AO2 SLP080 P0001 T02390228;
10	0600	MET061NEW AO2 SLP084 P0000 60003 7//// T02390222 10256 20239 53001;
10	0653	MET049NEW AO2 PK WND 07029/1228 SLP086 P0004 T02390228;
10	0721	MET032NEW AO2 PK WND 08026/1254 P0002;
10	0753	MET049NEW AO2 PK WND 08028/1330 SLP087 P0005 T02330228;
10	0853	MET061NEW AO2 PK WND 06030/1426 SLP085 P0003 60012 T02390228 50001;
10	0953	MET049NEW AO2 PK WND 06030/1545 SLP089 P0002 T02440228;
10	1053	MET049NEW AO2 PK WND 07032/1608 SLP086 P0001 T02500233;
10	1141	MET032NEW AO2 PK WND 07030/1727 P0004;
10	1144	MET032NEW AO2 PK WND 08033/1743 P0005;
10	1200	MET073NEW AO2 PK WND 08033/1743 SLP080 P0007 60022 T02440239 10256 20233 58004;
10	1232	MET051NEW AO2 PK WND 08032/1809 VIS 1V3 RAE1759B15 P0005;
10	1240	MET043NEW AO2 PK WND 08032/1809 RAE1759B15 P0011;
10	1253	MET056NEW AO2 PK WND 08032/1809 RAE1759B15 SLP075 P0018 T02440
10	1300	MET014NEW AO2 P0003;
10	1311	MET032NEW AO2 PK WND 09034/1910 P0027;
10	1318	MET032NEW AO2 PK WND 08036/1914 P0032;
10	1325	MET032NEW AO2 PK WND 08036/1914 P0034;
10	1353	MET049NEW AO2 PK WND 08036/1914 SLP068 P0044 T02390233;
10	1420	MET032NEW AO2 PK WND 08032/2000 P0006;
10	1430	MET032NEW AO2 PK WND 08032/2000 P0011;
10	1438	MET044NEW AO2 PK WND 08032/2000 CIG 007V013 P0017;
10	1453	MET061NEW AO2 PK WND 08032/2000 SLP066 P0024 60086 T02440233 56016;
10	1501	MET032NEW AO2 PK WND 08028/2056 P0009;
10	1508	MET032NEW AO2 PK WND 07029/2103 P0012;
10	1529	MET032NEW AO2 PK WND 10036/2119 P0013;
10	1543	MET032NEW AO2 PK WND 10036/2119 P0014;
10	1553	MET049NEW AO2 PK WND 10036/2119 SLP065 P0015 T02440233;
10	1608	MET032NEW AO2 PK WND 09034/2208 P0000;
10	1639	MET032NEW AO2 PK WND 09034/2208 P0003;
10	1653	MET049NEW AO2 PK WND 09034/2208 SLP064 P0010 T02440233;
10	1702	MET032NEW AO2 PK WND 08031/2256 P0002;
10	1710	MET032NEW AO2 PK WND 08031/2256 P0002;

10	1755	MET014NEW AO2 P0001;
10	1800	MET073NEW AO2 PK WND 08033/2338 SLP067 P0007 60118 T02390228 10256 20239 53002;
10	1802	MET032NEW AO2 PK WND 08027/2357 P0004;
10	1811	MET032NEW AO2 PK WND 07030/0011 P0006;
10	1818	MET032NEW AO2 PK WND 08031/0016 P0007;
10	1853	MET049NEW AO2 PK WND 08031/0016 SLP066 P0014 T02390228;
10	1953	MET049NEW AO2 PK WND 08033/0114 SLP071 P0009 T02390228;
10	2053	MET073NEW AO2 PK WND 07032/0158 CIG 007V014 SLP073 P0011 60033 T02390233 53006;
10	2123	MET052NEW AO2 PK WND 08032/0317 VIS 2V3 CIG 006V011 P0016;
10	2130	MET032NEW AO2 PK WND 08032/0317 P0018;
10	2153	MET049NEW AO2 PK WND 08032/0317 SLP071 P0029 T02390233;
10	2204	MET032NEW AO2 PK WND 09030/0400 P0008;
10	2213	MET032NEW AO2 PK WND 09030/0400 P0019;
10	2217	MET032NEW AO2 PK WND 08031/0416 P0020;
10	2232	MET032NEW AO2 PK WND 08031/0416 P0020;
10	2245	MET032NEW AO2 PK WND 08031/0416 P0020;
10	2253	MET049NEW AO2 PK WND 08031/0416 SLP066 P0021 T02440233;
10	2304	MET044NEW AO2 PK WND 08036/0501 CIG 006V014 P0001;

Local Climatological Data
Hourly Precipitation
September 1998
 Generated on 10/31/2023

Current Location: Elev: 16 ft. Lat: 29.9506° N Lon: 94.0206° W

Station: **PORT ARTHUR SE TX REGIONAL AIRPORT, TX US WBAN:12917 (ICAO:KBPT)**

Date	For Hour (LST) Ending at																						Date			
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM		11 PM	MID	
01						M						M						M						M	01	
02						M						M						M						M	02	
03						M						M						M						M	03	
04						M						M						M						M	04	
05						M						M						M						M	05	
06						M					M		0.01	0.01				M						M	06	
07						M						M		0.03	T			M	T	T				M	07	
08			T	T		M					M	M						M						M	08	
09						M						M						M					T	M	09	
10		T	0.02	T	0.01	M	0.04	0.05	0.03	0.02	0.01	M	0.18	0.44	0.24	0.15	0.10	0.01	0.14	0.09	0.11	0.29	0.21	M	10	
11	0.56	0.11	0.08	0.05	T	M	0.24	0.36	0.31	0.23	0.22	M	0.10	0.21	0.04	T		M	0.08	0.50	0.01	0.08		M	11	
12	0.02	0.18	0.05	M	0.16	M	0.13	0.07				M	0.01	T			0.05	M	0.01	0.19	0.03	T	T	M	12	
13					0.37	M		0.04	0.11	0.06	0.13	M	T	0.03	T	0.01	0.13	M	0.32	T				M	13	
14	0.04	0.06	0.27	0.49	0.01	M				0.03	0.07	M	0.34	0.06	0.06	0.01	0.01	T	M	0.09	0.04	0.01	0.08	0.31	0.22	14
15	0.39	0.03	0.03			M		M	0.16	M		M	0.07	0.31	0.01	0.01	0.02	M			M				M	15
16						M						M		T	T			M							M	16
17						M						M						M							M	17
18						M						M						M		0.47	0.01				M	18
19						M						M						M							M	19
20						M						M						M							M	20
21						M						M						M					M			21
22						M						M						M		0.09	0.17				M	22
23						M						M						M							M	23
24						M						M						M							M	24
25						M						M						M							M	25
26						M						M						M							M	26
27						M						M		M				M							M	27
28	M						M					M				M		M							M	28
29						M						M						M							M	29
30						M						M						M					T		M	30

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)												
Ending Date Time (yyy-mm-dd hh:mi)												

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
 s = Suspect
 * = Erroneous
 blank = No precipitation observed
 M = Missing