

Thanksgiving Weather Bowling Green, Kentucky

(Because observations were taken at many different locations in Bowling Green over the years,
information presented here may differ from other sources.)

Highest temperature: 75° on November 26, 1896

Highest daily average temperature: 65.5° on November 26, 1896

Lowest temperature: 15° on November 28, 1912 and November 23, 1950

Lowest average daily temperature: 22.5° on November 30, 1911

Wettest: 2.03" on November 26, 1959

Snowiest: 2.1" on November 23, 1950

Deepest Snow Cover: 2" on November 24, 1938

	High Temp	Low Temp	Precipitation	Snowfall	Snow Depth
November 25, 1880					
November 24, 1881			0	0	
November 30, 1882			0	0	
November 29, 1883	57	29	0	0	
November 27, 1884					
November 26, 1885					
November 25, 1886		29			
November 24, 1887					
November 29, 1888	48	29	0.21		
November 28, 1889	32		0		1.0
November 27, 1890			0	0	
November 26, 1891			0	0	
November 24, 1892	40	20	0	0	
November 30, 1893			0		
November 29, 1894	51	27	0		
November 28, 1895	57	34	0		
November 26, 1896	75	56	0.85	0.9	
November 25, 1897	55	44	0.20		
November 24, 1898	37	24	0	0	
November 30, 1899	67	45	0		
November 29, 1900	52	30	0		
November 28, 1901	42	20	0		
November 27, 1902	37	28	0.10	0.5	
November 26, 1903	46	19	0	0	
November 24, 1904	67	36	0		
November 30, 1905	65	22	0		
November 29, 1906	47 (46)	27	0	0	
November 28, 1907	60 (50)	34	0.05	0	
November 26, 1908	72 (67)	56	0.56		

	High Temp	Low Temp	Precipitation	Snowfall	Snow Depth
November 25, 1909	52 (59)	27	0		
November 24, 1910	62 (70)	40	0		
November 30, 1911	27 (39)	18	0		
November 28, 1912	50 (52)	15	0	0	
November 27, 1913	62 (60)	45	0		
November 26, 1914	63 (68)	32	0	0	
November 25, 1915	64 (72)	27	0		
November 30, 1916	62 (63)	35	0	0	
November 29, 1917	61 (53)	45	0.53	0	
November 28, 1918	59	46	0.80		
November 27, 1919	46	42	0		
November 25, 1920	52	31	0	0	
November 24, 1921	61	42	0.20		
November 30, 1922	63	30	0	0	
November 29, 1923	56	38	0.85		
November 27, 1924	58	39	T		
November 26, 1925	61	46	0		
November 25, 1926	70	45	0.32	0	
November 24, 1927	65	43	0.20	0	
November 29, 1928	58	45	1		
November 28, 1929	54	30	0	0	T
November 27, 1930	39	16	0	0	
November 26, 1931	52	32	0		
November 24, 1932	52	42	0.12	0	0
November 30, 1933	70	50	0	0	0
November 29, 1934	62	54	0.10	0	0
November 28, 1935	58	47	0.79	0	0
November 26, 1936	36	23	0	0	0
November 25, 1937	57	30	0	0	0
November 24, 1938	36	30	0.52	2	2
November 30, 1939	57	43	0	0	0
November 28, 1940	41	34	0	0	0
November 27, 1941	64	30	0	0	0
November 26, 1942	59	36	0	0	0
November 25, 1943	61	35	0	0	0
November 23, 1944	43	35	0	0	0
November 22, 1945	41	23	T	T	0
November 28, 1946	66	30	0	0	0
November 27, 1947	55	32	T	T	0
November 25, 1948	60	28	0	0	0

	High Temp	Low Temp	Precipitation	Snowfall	Snow Depth
November 24, 1949	54	37	0.17	0	0
November 23, 1950	58	15	0.21	2.1	0
November 22, 1951	65	42	T	0	0
November 27, 1952	40	22	0	0	0
November 26, 1953	41	31	T	T	0
November 25, 1954	43	34	T	T	0
November 24, 1955	45	26	0	0	0
November 22, 1956	36	24	T	T	0
November 28, 1957	59	41	0.62	0	0
November 27, 1958	35	24	T	T	0
November 26, 1959	58	33	2.03	0	0
November 24, 1960	52	34	0	0	0
November 23, 1961	54	44	0.60	0	0
November 22, 1962	52	30	0	0	0
November 28, 1963	60	37	0.53	0	0
November 26, 1964	59	35	0	0	0
November 25, 1965	65	49	0	0	0
November 24, 1966	69	40	0	0	0
November 23, 1967	43	34	0.03	0	0
November 28, 1968	63	44	0.81	0	0
November 27, 1969	43	26	0.05	T	0
November 26, 1970	59	42	0	0	0
November 25, 1971	39	26	0	0	0
November 23, 1972	42	25	0	0	0
November 22, 1973	67	37	0	0	0
November 28, 1974	56	27	0	0	0
November 27, 1975	36	25	0	0	0
November 25, 1976	61	31	0	0	0
November 24, 1977	57	41	T	0	0
November 23, 1978	59	51	0.68	0	0
November 22, 1979	65	47	0.42	0	0
November 27, 1980	46	35	0.51	T	0
November 26, 1981	66	51	0.50	0	0
November 25, 1982	46	22	0	0	0
November 24, 1983	51	30	0	0	0
November 22, 1984	46	21	0	0	0
November 28, 1985	60	44	0.40	0	0
November 27, 1986	47	44	0	0	0
November 26, 1987	62	49	0.30	0	0
November 24, 1988	61	26	0	0	0

	High Temp	Low Temp	Precipitation	Snowfall	Snow Depth
November 23, 1889	40	23	0	0	0
November 22, 1890	63	51	0.73	0	0
November 28, 1891	62	49	0	0	0
November 26, 1892	43	38	T	0	0
November 25, 1893	56	45	0.17	0	0
November 24, 1894	53	21	0	0	0
November 23, 1895	50	36	0.76	0	0
November 28, 1896			0	0	0
November 27, 1897			0	0	0
November 26, 1898			0.28	0	0
November 25, 1899	50	42	0.43		
November 23, 2000	55	26	0		
November 22, 2001	61	28	0		
November 28, 2002	42	29	0		
November 27, 2003	56	49	0.85		
November 25, 2004	46	31	T	T	0
November 24, 2005	50	24	0	0	0
November 23, 2006	62	27	0	0	0
November 22, 2007	52	34	T	0	0
November 27, 2008	60	30	0	0	0
November 26, 2009	47	33	T	0	0
November 25, 2010	71	34	1.47	T	0
November 24, 2011	61	37	0	0	0
November 22, 2012	68	34	0	0	0
November 28, 2013	41	14	0	0	0
November 27, 2014	38	25	0.01	T	T
November 26, 2015	70	50	0	0	0
November 24, 2016	56	44	T	0	0
November 23, 2017	52	23	0	0	0
November 22, 2018	60	28	0	0	0
November 28, 2019	46	31	0.01	0	0
November 26, 2020	53	46	0	0	0
November 25, 2021	53	36	0.26	0	0
November 24, 2022	68	31	0	0	0

*When there is both a value with parentheses and a value without parentheses, the value given without parentheses is the time shifted value. In other words, this is the value written down by the observer on the day the observation was taken. The value, especially in the case of High Temp, may have actually occurred on the previous day. The value given in the parentheses is the value "corrected" for time shifting, as determined by work done by then State Climatologist Glen Conner and his students at Western Kentucky University. This value is likely the value that actually happened on the date listed (but was written down on the co-op form on the following day at the morning observation time). If only one value is listed in this table, that means the time shifted value and un-time-shifted value are the same, or an un-time-shifted value is not available (WKU did not work with snowfall or snow depth, and time shift correcting was only done from 1893 to 1931).