NOUS41 KWBC 252020 PNSWSH

PUBLIC INFORMATION STATEMENT...TECHNICAL IMPLEMENTATION NOTICE 02-30 NATIONAL WEATHER SERVICE HEADQUARTERS WASHINGTON DC 420 PM EDT FRI OCT 25 2002

- TO: FAMILY OF SERVICES /FOS/ SUBSCRIBERS NOAA WEATHER WIRE SERVICE /NWWS/ SUBSCRIBERS EMERGENCY MANAGERS WEATHER INFORMATION NETWORK /EMWIN/ SUBSCRIBERS OTHER CUSTOMERS OF NWS AVIATION DATA AND FORECASTS NWS EMPLOYEES
- FROM: RAINER DOMBROWSKY CHIEF...OBSERVING SERVICES DIVISION

SUBJECT: AUTOMATED SURFACE OBSERVING SYSTEM WIND SENSOR REPLACEMENT

NOTE: THE FOLLOWING CHANGES HAVE NO DIRECT IMPACT ON NOAA WEATHER WIRE SERVICE SUBSCRIBERS.

THE AUTOMATED SURFACE OBSERVING SYSTEM /ASOS/ PRODUCT IMPROVEMENT PROGRAM WILL SOON DEPLOY A REPLACEMENT WIND SENSOR. THE NEW SENSOR WILL REPORT WIND INFORMATION USING THE 3-SECOND WORLD METEOROLOGICAL ORGANIZATION /WMO/ GUST STANDARD.

THE CURRENT ASOS WIND SENSOR /BELFORT 2000/ USES ROTATING CUPS TO MEASURE WIND SPEED AND A VANE TO MEASURE WIND DIRECTION. OVER A 2-MINUTE PERIOD...ASOS USES TWENTY-FOUR 5-SECOND AVERAGES TO DETERMINE THE 2-MINUTE AVERAGE WIND SPEED AND DIRECTION. EVERY MINUTE ASOS STORES THE HIGHEST 5-SECOND AVERAGE SPEED FOR THE PAST MINUTE...ALONG WITH ITS DIRECTION...IN THE 12-HOUR ARCHIVE FOR ADDITIONAL PROCESSING. THIS HIGHEST SPEED VALUE IS USED TO DETERMINE IF A GUST AND/OR A PEAK WIND REMARK WILL BE REPORTED.

THE NEW ASOS WIND SENSOR /VAISALA 425NWS/ IS A SONIC ANEMOMETER. IT HAS NO MOVING PARTS AND WILL OPERATE BETTER IN WINTER WEATHER CONDITIONS. AS WITH THE BELFORT SENSOR...OVER A 2-MINUTE PERIOD...ASOS USES TWENTY-FOUR 5-SECOND AVERAGES TO DETERMINE THE MINUTE AVERAGE WIND SPEED AND DIRECTION. BUT THE HIGHEST SECOND RUNNING AVERAGE SPEED IS STORED FOR GUST AND PEAK WIND PROCESSING.

WHILE THERE WILL BE LITTLE DIFFERENCE IN 2-MINUTE AVERAGE WIND SPEED AND DIRECTION REPORTING...THE CHANGES IN GUST AND PEAK WIND REPORTING MAY BE SIGNIFICANT. WE CAN EXPECT TO SEE MORE GUSTS AND PEAK WINDS REPORTED WITH THE NEW SENSOR. THE MASS OF THE MOVING PARTS IN EXISTING SENSORS LIMITS RESPONSIVENESS. THE NEW SENSOR WILL BE MORE RESPONSIVE TO SHORT TERM GUSTS.

THE LAST ACTIVITY PRIOR TO IMPLEMENTATION AT 313 NWS AND 570 FEDERAL AVIATION ADMINISTRATION /FAA/ SPONSORED SITES IS A 20 SITE OPERATIONAL ACCEPTANCE TEST /OAT/. THE OAT WILL BEGIN IN EARLY NOVEMBER OF 2002. EIGHTEEN /18/ OF THE 20 OAT SITES WILL BE CONFIGURED WITH DUAL SENSORS...BOTH THE EXISTING AND NEW SENSOR. THE EXISTING SENSOR WILL BE USED FOR THE OFFICIAL OBSERVATION AT LOCATIONS WHERE DUAL SENSORS ARE INSTALLED. INITIALLY...THE NEW SENSOR OUTPUT WILL BE ARCHIVED FOR ANALYSIS. WHEN THE ANALYSIS VALIDATES THE NEW SENSOR PERFORMANCE...THE PROCESSING WILL BE CHANGED TO USE THE NEW SENSOR FOR THE OFFICIAL OBSERVATION AND THE NEW SENSORS WILL BE INSTALLED AT THE REMAINING TWO SINGLE SENSOR OAT SITES. BELFORT SENSOR DATA WILL CONTINUE TO BE ARCHIVED AT THE DUAL SENSOR SITES. THIS CHANGE IN THE USE OF SENSORS IS EXPECTED TO OCCUR IN DECEMBER 2002. FOLLOWING A SUCCESSFUL OAT...FULL SCALE DEPLOYMENT OF THE NEW SENSOR WILL BEGIN IN MARCH OF 2003 AND EXTEND THROUGH SEPTEMBER 2006.

OAT LOCATIONS:

SID	STATION NAME	CONFIGURATION	DEPLOYMENT DATE
BRW	BARROW AK	DUAL	NOVEMBER 2002
TKA	TALKEETNA AK	DUAL	NOVEMBER 2002
KTN	KETCHICAN AK	DUAL	NOVEMBER 2002
SIT	SITKA AK	DUAL	NOVEMBER 2002
CMX	HANCOCK MI	DUAL	NOVEMBER 2002
GFK	GRAND FORKS ND	DUAL	NOVEMBER 2002
TOP	TOPEKA KS	DUAL	NOVEMBER 2002
BFF	SCOTTSBLUFF NE	DUAL	NOVEMBER 2002
HUF	TERRA HAUTE IN	DUAL	NOVEMBER 2002
OSH	OSH KOSH WI	DUAL	NOVEMBER 2002
ARR	CHICAGO/AURORA IL	DUAL	NOVEMBER 2002
FTW	FORT WORTH TX	DUAL	NOVEMBER 2002
NEW	NEW ORLEANS LA	DUAL	NOVEMBER 2002
LLJ	CHALLIS ID	DUAL	NOVEMBER 2002
UAO	AURORA OR	DUAL	NOVEMBER 2002
BLU	BLUE CANYON CA	DUAL	NOVEMBER 2002
BTV	BURLINGTON VT	DUAL	NOVEMBER 2002
CAR	CARIBOU ME	DUAL	NOVEMBER 2002
ITO	HILO HI	SINGLE	DECEMBER 2002
SFO	SAN FRANCISCO CA	SINGLE	DECEMBER 2002

IF YOU HAVE ANY QUESTIONS ABOUT THIS CHANGE...PLEASE CONTACT ONE OF THE FOLLOWING INDIVIDUALS AT NWS HEADQUARTERS:

TIM ROSS SURFACE OBSERVATIONS PROGRAM MANAGER PHONE: 301-713-1792 X 114 EMAIL: TIM.ROSS@NOAA.GOV

OR

RICHARD AHLBERG ASOS PLANNED PRODUCT IMPROVEMENT PROGRAM MANAGER PHONE: 301-713-1975 X 160 EMAIL: RICHARD.AHLBERG@NOAA.GOV

NATIONAL TECHNICAL IMPLEMENTATION NOTICES ARE ONLINE AT /USE LOWER CASE/:

HTTPS://WWW.WEATHER.GOV/NOTIFICATION/ARCHIVE

END \$\$ NNNN