

## NWS Portland Warning, Watch, Advisory Criteria 😇



## Guidance for all WWA Products:

Last Update: 03/07/2024 (For new zone names and numbers)

Written instructions cannot address every operational situation. All WFO personnel exercise initiative and professional judgment to minimize risk to public safety and property in situations not explicitly covered by written instructions. Protection of life and property takes precedence in these decision making processes. As such, criteria for weather warnings are to be considered as guidance only, not strict thresholds. Forecasters may issue warnings and advisories based upon lower criteria if the event in question poses a significant threat to life due to timing or other circumstances.

## Watch Issuance when confidence is ≥ 50% Warning Issuance when confidence is ≥ 80%

Multi-Purpose	Lead Time / Duration		NOAA Weather Radio				
Hazard	Guidance	Criteria (including IMPACTS)	NAWAS	TONE/SAME	WEA		
Special Weather Statement	Duration: < 6 hours	- Strong, sub-severe convection or gust fronts. Could include gusts 40-57mph, hail < 1", frequent/continuous lightning.  OR - Funnel clouds not expected to become a tornado threat (e.g. cold-core funnel clouds)  OR - Short term hazards like frosty or icy conditions that may cause hazardous driving, but not meet freezing fog advisory criteria  OR - Highlight a major multi-hazard event expected beyond 6 hours.  OR - Level 5 (Extreme) Space Weather Event.					

Convective Hazard	Lead Time / Duration Guidance	Criteria (including IMPACTS)	NAWAS	NOAA Weather Radio TONE/SAME	WEA
Severe Weather Statement	Duration: 0-1 hour	Used to update, correct, expire, or cancel a TOR or SVR. An SVS should be issued at least once during the valid time of a SVR or TOR.			
Severe Thunderstorm Watch	SPC-Driven	Issued in coordination with Severe Prediction Center (SPC).  Observed and/or expected atmospheric conditions support the formation of severe thunderstorms.	Oregon: NO Washington: YES	Oregon: YES Washington: YES Automatic	
Severe Thunderstorm Warning	Duration: 30-60 min	Impact criteria: Thunderstorms that are forecast to produce signifcant tree or structrual damage, downed powerlines, flying debris, or threaten lives/property.  - Gusts ≥ 58 MPH  OR  - Hail size ≥ 1"  OR  - Damage reports that indicate thunderstorm wind or hail.	Oregon: YES Washington: YES	Oregon: YES Washington: YES Automatic	YES  Automatic  when has a  considerable or  destructive tag  only
Tornado Watch	SPC-Driven	Issued in coordination with SPC.  - When there is a forecast of multiple weak tornadoes or any tornado which could produce EF2 or greater damage.  - The forecast event minimum thresholds should be at least 2 hours over an area at least 8,000 square miles.	Oregon: YES Washington: YES	Oregon: YES Washington: YES Automatic	

Tornado Warning	Duration: 15-45 min	Radar indication or credible report of (developing) tornado, including TVS, hook echo, mesocyclone  TVS: - gate to gate shear >90 kts within 30 nm of the RDA - gate to gate shear >70 kts between 30 to 55 nm of the RDA	Oregon: YES Washington: YES	Oregon: YES Washington: YES Automatic	YES Automatic
Tornado Emergency	Duration: 15-45 min	Exceedingly rare situations when: Severe threat to human life and catastrophic damage from a tornado is imminent or ongoing.  Visual or radar sources confirm tornado. Radar imagery (e.g., debris ball signature) strongly suggests the existence of a damaging tornado.	Oregon: YES Washington: YES	Oregon: YES Washington: YES Automatic	YES Automatic
Special Marine Warning	Duration: 0-1 hour	- Wind: Sustained wind or frequent gusts of ≥ 34 kt not adequately covered in CWF. Duration for up to 2 hoursusually less  - Thunderstorm: (Non-severe) a thunderstorm producing wind gusts of ≥ 34 kt that forms or moves over the marine forecast area  - Severe Thunderstorm: 50 kt wind gust, hail ≥ 3/4" diameter (penny-size)  - Waterspout indicated or observed	Oregon: No Washington: YES	Oregon: YES Washington: YES Required for coastal weather radios Automatic	
Hydrology Hazard	Lead Time / Duration Guidance	Criteria (including IMPACTS)	NAWAS	NOAA Weather Radio TONE/SAME	WEA
Flood Potential Outlook	Lead Time: >36 hours	- Issued if expected hydro-meteorological conditions may cause flooding problems, generally a few days from the time of issuance as a "heads-up" to emergency managers and the public.			
Flood Advisory	Lead Time: short term, generally 0 to 12 hours	- Issued for urban areas and/or small streams when hydro- meteorological conditions may cause flooding or smaller streams and urban areas (e.g. underpasses, low lying areas, or drainages) which may hinder or block public traffic or access			
Flood Watch	Lead Time: 12-48 hours	- Issued when current or developing hydro-meteorological conditions indicate a threat of flooding, but the occurrence is neither certain or imminent	Oregon: NO Washington: YES Manual		
Flood Warning (River Forecast Points)	Lead Time: 6-24 hours	- Flooding at a river forecast point is imminent or in progress OR - River forecast indicates flooding within next several hours - Category of flooding increases (e.g. minor to moderate)	Oregon: YES Washington: YES Manual	Oregon: YES Washington: YES Manual For "Major" flood category only	
Flood Warning (Areal)	Lead Time: 6-24 hours	- Issued when flooding presents a threat to life or property	Oregon: YES Washington: YES Manual		
Flood Statement		- Used to update, correct, expire, or cancel a Flood Warning.			
Flash Flood Watch	Lead Time: 6-48 hours	- Conditions indicate flash-flooding is possible but not imminent - Potential dam or levee failure	Oregon: NO Washington: YES Manual	At lead forecaster discretion  Manual	

Flash Flood Warning	Lead Time: 0-6 hours	- Flash flooding is reported by a reliable source  - Precipitation capable of producing flash flooding is detected or reported  - Observed rainfall approaches or exceeds guidance obtained from the RFC  - Sudden release from a dam, levee, or other structure due to controlled release or failure  - Headwater tables or other predictive procedures indicate flash flooding  - Notification by PacifiCorp that releases at Merwin Dam will be increased to 60,000 CFS or more within the next 6 hours	Oregon: YES Washington: YES Manual	Oregon: YES Washington: YES Automatic	YES  Automatic  when has a considerable or catastrophic tag only
Flash Flood Statement		- Used to update, correct, expire, or cancel a Flash Flood Warning.			
Flash Flood Emergency	Lead Time: 0-6 hours	FFW criteria  AND one of the following:  - State of Emergency declared due to life-threatening rapidly rising water  - Flash flood water rises to level rarely ever seen or much higher than typical flash floods;  - Multiple swift water rescue teams required;	Oregon: YES Washington: YES Manual	Oregon: YES Washington: YES Automatic	YES Automatic
		- Total failure of high hazard dam with catastrophic impacts.			
Winter Hazard	Lead Time / Duration Guidance		NAWAS	NOAA Weather Radio TONE/SAME	WEA
		- Total failure of high hazard dam with catastrophic impacts.  Criteria (including IMPACTS)  Cascades: 6-11 inches in 12 hours  If the above criteria is only expected to be met for elevations above 5,500 feet, then no headline is needed!  Cascade Foothills, Coast Range, Willapa Hills, and Upper Hood River Valley: 2-4 inches in 12 hours  Coast, Coast Range Lowlands, Willapa and Wahkiakum Lowlands, Lower Columbia, Willamette Valley, Cowlitz County Lowlands, and Columbia River Gorge: 1-3 inches in 12 hours  Freezing rain: 0.10-0.25" flat ice accumulation in 12 hours  Impact Criteria: Significant travel inconveniences due to slippery roads and/or sidewalks, scattered power disruptions, significant civic or economic disruption (i.e. schools and/or businesses closed).	NAWAS		WEA

		- Issued for all winter precipitation events meeting/exceeding warning guidelines and/or causing significant impact. Exceptions: Blizzards, Ice Storms, or Wind Chill are issued seperately.  - Winter Storm Warnings include different event types such as heavy snow, snow mixed with sleet or freezing rain, blowing snow,			
Winter Storm Warning	Lead Time: 0-36 hours	etc.  - If BOTH Winter Storm Warning and High Wind Warning criteria are met, issue both seperately: WSW for Winter Storm, and NPW for High Wind. Consider tying the two together in the *ADDITIONAL DETAILSsection of each.  Cascades: ≥12 inches in 12 hours ≥18 inches in 24 hours  If the above criteria is only expected to be met for elevations above 5,500 feet, then no headline is needed!  Cascade Foothills, Coast Range, Willapa Hills, and Upper Hood River Valley: ≥4 inches in 12 hours  Coast, Coast Range Lowlands, Willapa and Wahkiakum Lowlands, Lower Columbia, Willamette Valley, Cowlitz County Lowlands, and Columbia River Gorge: ≥3 inches in 12 hours ≥6 inches in 24 hours  Impact Criteria: Life-threatening travel conditions, widespread power outages due to heavy snow, major economic disruption (i.e. closure of I-84).	Oregon: NO Washington: YES Manual	Generally reserve the alert for short fused and major events Manual	
Snow Squall Warning	Duration: 30-60 min	Significant, short lived snow events causing extremely dangerous driving conditions from near white-out conditions  - Snow accumulations are often ≤ 1"  - Added combination of:  - Gusty winds  - Sub-freezing ambient road temperatures  - Reduced visibility (≤ 1/4 mi)  This would be a very rare event for our CWA	Oregon: YES Washington: YES Manual	Generally reserve the alert for short fused and major events Automatic (TONE and SAME only)	YES Automatic when has a SIGNIFICANT impacts tag ony
Ice Storm Warning	Lead Time: 0-36 hours	Significant, widespread and possibly damaging accumulations of ice: ≥0.25" ice accumulation in 24 hours  Impact Criteria:  Widespread power outages due to downed ice-laden trees/limbs, life threatening travel conditions, major economic disruption (i.e. closure of I-84).	Oregon: YES Washington: YES Manual	Generally reserve the alert for major events Automatic	
Blizzard Warning	Lead Time: 0-36 hours	- Sustained wind speeds or frequent gusts of 35 mph AND - Considerable falling and/or blowing snow frequently reducing visibility <1/4 mile for 3+ hours	Oregon: YES Washington: YES Manual	Generally reserve the alert for major events Manual	
Wind Chill Advisory	Lead Time: 0-36 hours	- Wind chill is ≤ 0°F  AND  - Expected to last 1+ hour  AND  - Wind speed ≥ 10 mph (see wind chill chart)  For the Cascades, only consider wind chills at passes or below			

Wind Chill Watch	Lead Time: 36-48 hours (can be longer for high- confidence events)	Conditions are favorable for hazardous wind chill to develop, but its occurrence, location, and/or timing is still uncertain	Oregon: NO Washington: YES Automatic		
Wind Chill Warning	Lead Time: 0-36 hours	<ul> <li>Wind chill is ≤ -20°F         AND</li> <li>Expected to last 1+ hour         AND</li> <li>Wind speed ≥ 10 mph (see wind chill chart)</li> </ul> For the Cascades, only consider wind chills at passes or below	Oregon: YES Washington: YES Automatic		
Non-Precip Hazard	Lead Time / Duration Guidance	Criteria (including IMPACTS)	NAWAS	NOAA Weather Radio TONE/SAME	WEA
	Lead Time: 12-36 hours	Issued for all zones except the coast, Columbia River Gorge, and high Cascades:  ORZ109-118 (Willamette Valley) ORZ108-WAZ204 (Lower Columbia in Columbia & Cowlitz Counties) WAZ205-207 (Clark County lowlands) Sustained winds: 30-39 mph (26-34 kt), duration of 1+ hour Frequent gusts: 45-57 mph (39-49 kt), any duration	NAWA2	TONEJSANE	WEG
High Wind Watch	Lead Time: 12-48 hours (can be longer for high- confidence events)	Conditions are favorable for hazardous high wind warning conditions to develop, but its occurrence, location, and/or timing is still uncertain	Oregon: NO Washington: YES Manual		
High Wind Warning	Lead Time: 0-36 hours	For all zones (except the Columbia River Gorge and Cascades):  - Sustained winds: 40 mph (40 kt), duration of 1+ hour - Frequent gusts: 58 mph (50 kt), any duration OR - Credible reports, or expectation, of widespread damaging wind at lower values  For the Columbia River Gorge and Cascades: ORZ119-120 and WAZ209 (Western Columbia River Gorge) ORZ126-127 (North Oregon Cascades and Marion/Linn Cascades) WAZ211 (South Washington Cascades)  - Sustained winds: 50 mph (43 kt), duration of 1+ hour - Frequent gusts: 75 mph (65 kt), any duration OR - Credible reports, or expectation, of widespread damaging wind at lower values	Oregon: NO Washington: YES Manual	Oregon: YES Washington: YES Manual  SAME/Tone Alert for Extreme High Wind Warnings for the following criteria:  Coast/Willapa Hills WA: ≥60 G90mph Coast/Coast Range OR: ≥60 G100mph Inland WA & OR: ≥50 G75mph  - Within 6 hours of the onset of the high wind criteria  Oregon: NO Washington: NO No SAME/Tone Alert for Gorge/Cascades	
Heat Advisory	Lead Time: 12-36 hours	Use NWS Western Region Heat Risk Tool  - Heat Risk Value: 2.4-2.65 (high orange/low red levels)  - Moderate risk for those who are sensitive to heat, especially those without effective cooling and/or adequate hydration			
Excessive Heat Watch	Lead Time: 12-48 hours (can be longer for high- confidence events)	Conditions are favorable for hazardous heat conditions to develop, but its occurrence, location, and/or timing is still uncertain	Oregon: NO Washington: YES Manual		

Excessive Heat Warning	Lead Time: 0-36 hours	Use NWS Western Region Heat Risk Tool  - Heat Risk Value: 2.66-3.9 (red level)  - High risk for much of the population, especially those who are heat sensitive and those without effective cooling and/or adequate hydration  - Heat Risk Value: 4 (magenta level)  - Rare, long duration heat event. Very high risk due to long duration heat with little to no relief overnight	Oregon: YES Washington: YES Manual	
Frost Advisory	Lead Time: 0-36 hours	Growing Season Only (APR-OCT)  - Minimum shelter temperatures mainly 33°F-36°F on nights with good radiational cooling conditions (light winds and clear skies)  - Comprises of all forecast zones except for WAZ211, ORZ126, ORZ127, and ORZ128 (the high Cascades zones)		
Freeze Watch	Lead Time: 48-96 hours	- Conditions are favorable for hazardous freeze conditions to develop, but its occurrence, location, and/or timing is still uncertain		
Freeze Warning	Lead Time: 0-36 hours	Growing Season Only (APR-OCT)  - Widespread minimum shelter temperatures between 29°F-32°F  - Comprises of all forecast zones except for WAZ211, ORZ126, ORZ127, and ORZ128 (the high Cascades zones)	Oregon: NO Washington: YES Manual	
Hard Freeze Watch	Lead Time: 48-96 hours	- Conditions are favorable for hazardous hard freeze conditions to develop, but its occurrence, location, and/or timing is still uncertain		
Hard Freeze Warning	Lead Time: 0-36 hours	Growing Season Only (APR-OCT)  - Widespread minimum shelter temperatures ≤28°F  - Comprises of all forecast zones except for WAZ211, ORZ126, ORZ127, and ORZ128 (the high Cascades zones)	Oregon: NO Washington: YES Manual	
Dust Advisory (polygon- based)	Lead Time: 12-36 hours	Widespread or localized blowing dust reduces visibilities to ≤ 1 mile, but > 1/4 mile      Dust storms are extremely rare west of the Cascades		
Dust Storm Warning (polygon- based)	Lead Time: 0-36 hours	<ul> <li>Widespread or localized blowing dust reduces visibilities to ≤ 1/4 mile</li> <li>Sustained winds ≥ 25 mph</li> <li>Dust storms are extremely rare west of the Cascades</li> </ul>	Oregon: YES Washington: YES Manual	YES Automatic
Blowing Dust Advisory (zone-based)	Lead Time: 12-36 hours	- Widespread or localized blowing dust reduces visibilities to ≤ 1 mile, but > 1/4 mile     - Dust storms are extremely rare west of the Cascades		
Blowing Dust Warning (zone-based)	Lead Time: 0-36 hours	<ul> <li>Widespread or localized blowing dust reduces visibilities to ≤ 1/4 mile</li> <li>Sustained winds ≥ 25 mph</li> <li>Dust storms are extremely rare west of the Cascades</li> </ul>	Oregon: YES Washington: YES Manual	
Dense Fog Advisory	Lead Time: 12-36 hours	- Widespread or localized fog is expected to, or is reducing visibilities ≤ 1/4 mile		

		- Issue when we receive multiple reports from spotters, law enforcement, or other government agencies of hazardous conditions			
Freezing Fog Advisory	Lead Time: 12-36 hours	due to the freezing fog. ASOS reports of freezing fog, on their own, are not enough.			
		- The freezing fog must affect a "representative part of the area".			
Dense Smoke Advisory	Lead Time: 12-36 hours	- Widespread or localized smoke reduces visibility to $\leq 1/4$ miles			
Coastal	Lead Time / Duration			NOAA Weather Radio	
Hazard	Guidance	Criteria (including IMPACTS)	NAWAS	TONE/SAME	WEA
Beach Hazards Statement		High Sneaker Wave threat: - Swell height ≥ 9 ft with a period ≥ 14 sec on a weekend/holiday			
		- Rivers at/near 80% flood flow and tide + tidal anomaly of 9.5 ft at Newport (South Beach) in the south and Astoria (Tongue Point) or Willapa Bay (Toke Point) in the north.			
		OR			
Coastal Flood	Lead Time: 0-36 hours	- Southwest Washington Coast: Tide + tidal anomaly alone is ≥ 11 ft at Willapa Bay (Toke Point, south Washington coast).	Oregon: NO		
Advisory (for			Washington: YES		
Tidal Overflow)		- North Oregon Coast: Tide + tidal anomaly alone is ≥ 10.5 ft at Astoria (Tongue point, north Oregon coast) or Garibaldi.	Manual		
		- Central Oregon Coast: Tide + tidal anomaly alone is ≥ 12 ft at Newport (South Beach, central Oregon coast).			
		OR			
		- Tidal flooding is observed and reported by a reliable source.			
Coastal Flood	Lead Time: 12-48 hours				
Watch	(can be longer for high- confidence events)	- See Coastal Flood Warning	Washington: YES  Manual		
		- Coastal Flood Index of ≥ 22 for a .02 slope beach is forecast or			
		occurring. We will use .02 as a representative standard.	Oregon: NO		
Coastal Flood	Lead Time: 0-36 hours (can be longer for high-	OR	Washington: YES		
Warning	confidence events)	- Tide + tidal anomaly alone is 14.5 ft or greater at South Beach (central Oregon coast), Astoria (north Oregon coast), or Toke Point (south Washington coast).	Manual		
High Conf			Oregon: NO		
High Surf Advisory	Lead Time: 0-36 hours	- Issued for swell energy flux of 100 x 10^4 J/ms	Washington: YES Manual		
High Conf			Oregon: NO		
High Surf Warning	Lead Time: 0-36 hours	- Issued for swell energy flux of 160 x 10^4 J/ms	Washington: YES		
			Manual		
	Lead Time / Duration			NOAA Weather Radio	

Marine Weather Statement	Lead time: 0-36 hours	Product to provide mariners with details on significant or potentially hazardous conditions not otherwise covered in existing marine warnings and forecasts  - Non-Severe, Short-term Wind Events: sustained winds or gusts to 33 kt are expected for 2 hours or less  - Non-Severe, Long-term Events: dense fog, hazardous materials spills; volcanic impacts, trends for increasing and/or decreasing wind and wave/seas conditions  - Other hazardous events: funnel clouds, tsunamis, marine debris, ice changes, freezing spray advisories, ashfall advisories			
Special Marine Warning	Duration: 0-1 hour	- Wind: Sustained wind or frequent gusts of ≥ 33 kt not adequately covered in CWF. Duration for up to 2 hoursusually less - Thunderstorm: (Non-severe) a thunderstorm producing wind gusts of ≥ 33 kt that forms or moves over the marine forecast area - Severe Thunderstorm: Hail with diameter ≥ 3/4" diameter (pennysize) - Waterspout indicated or observed	Oregon: NO Washington: YES	Oregon: YES Washington: YES Required for coastal weather radios Automatic	
Dense Fog Advisory	Lead Time: 0-36 hours	- Widespread or localized fog reducing visibility to < 1 nautical mile			
Dense Smoke Advisory	Lead Time: 0-36 hours	- Widespread or localized smoke reducing visibility to < 1 nautical mile			
Small Craft Advisory	Lead Time: 0-36 hours	- Sustained wind speeds or frequent gusts of 21-33 kts OR - Combined seas ≥ 10 ft OR - Meets wave steepness criteria (local wave criteria below) OR - Seas 7-9 ft with strong (5.6 kts) to very strong (6.4 kts) ebb currents (PZZ210 only) at Sand Island Tower station			
Freezing Spray Advisory	Lead Time: 0-36 hours	- Light ice accumulation expected applicable primarily to PZZ210, see Columbia River Bar section of the marine Google page for more guidance			
Gale Watch	Lead Time: 12-48 hours (can be longer for high- confidence events)	- Conditions are favorable to meet Gale Warning criteria in the next 12-48 hours			
Gale Warning	Lead Time: 0-36 hours	- Sustained winds or frequent gusts of 34-47 kts, either predicted or occurring			
Storm Watch	Lead Time: 12-48 hours (can be longer for high- confidence events)	- Conditions are favorable to meet Storm Watch Warning criteria, but its occurrence, location, and/or timing is still uncertain			
Storm Warning	Lead Time: 0-36 hours	- Sustained winds or frequent gusts of 48-63 kts, either predicted or occurring	Oregon: NO Washington: YES Manual		
Hurricane Force Wind Watch	Lead Time: 12-48 hours (can be longer for high- confidence events)	- Conditions are favorable to meet Hurricane Force Wind Warning criteria, but its occurrence, location, and/or timing is still uncertain			
Hurricane Force Wind Warning	Lead Time: 0-36 hours	- Sustained winds or frequent gusts of ≥ 64 kts, either predicted or occurring, and not directly associated with a tropical cyclone	Oregon: NO Washington: YES Manual		

Hazardous Seas Watch	Lead Time: 12-48 hours (can be longer for high- confidence events)	- Conditions are favorable to meet Hazardous Seas Warning criteria, but its occurrence, location, and/or timing is still uncertain													
Hazardous Seas Warning	Lead Time: 0-36 hours	- A warning for wave heights and/or wave steepness values meeting or exceeding locally defined warning criteria (see table below)													
											1				
		No Hazard (green) Sma		al Wave Advisory			nd Haza	ardous	Seas	(red)					
		-	-		Domi	inant W	ave Per	iod (se	conds)						
		-	-	<= 7	8	9	10	11	12	>= 13					
			<=5												
			6												
			7												
			8												
		Significant Wave Height (ft)	9												
		+	10												
			11												
		_	12												
			14												
			>= 15												
Fire Weather	Lead Time / Duration											NOAA We	ather Radio		
Hazard	Guidance	Criteria (	includin	g IMPAC	CTS)					NAWA	\S		/SAME	WEA	
Fire Weather Watch	Lead Time: 48-72 hours (can be longer for high-	Day (for 4 hours): - Dry fuels - RH ≤ 25% - RAWs: 10G20 mph - ASOS: 15G25 mph  Night (for 3 hours): - Dry fuels - RH ≤ 35% - RAWs: 10G20 mph - ASOS: 15G25 mph								Oregon: ashingto					
waten	confidence events)	Dry and unstable: - Dry fuels - RH ≤ 25% - Mid-Haines: 6 - High-Haines: 5/6  Lightning: - Scattered thunderstorms - Critically dry fuels - No appreciable change in fi	uel cond	itions aff	er ev	ent.				Manu	al				

- No appreciable change in fuel conditions after event

Red Flag Warning	Lead Time: 24-60 hours (can be longer for high- confidence events)	Day (for 4 hours): - Dry fuels - RH ≤ 25% - RAWs: 10G20 mph - ASOS: 15G25 mph  Night (for 3 hours): - Dry fuels - RH ≤ 35% - RAWs: 10G20 mph - ASOS: 15G25 mph  Dry and unstable: - Dry fuels - RH ≤ 25% - Mid-Haines: 6 - High-Haines: 5/6  Lightning: - Scattered thunderstorms - Critically dry fuels - No appreciable change in fuel conditions after event	Oregon: NO Washington: YES Manual		
Geohazard Hazard	Lead Time / Duration Guidance	Criteria (including IMPACTS)	NAWAS	NOAA Weather Radio TONE/SAME	WEA
Tsunami Advisory	NTWC-Driven	<ul> <li>Issued for the threat of a potential tsunami that may produce strong currents in harbors and bays or waves dangerous to those near the water.</li> <li>Issued for sub-warning events NOT expected to produce wave amplitudes ≥ 1 meter</li> </ul>	Oregon: *NO Washington: *NO  *(NTWC will call OR and WA who then relays to the counties)		
Tsunami Watch	NTWC-Driven	- Issued to alert the public of a tsunami event that may later impact the watch area  - Earthquake magnitude > 7.8: the watch area will be for locations along the coast with wave arrival times 3-6 hours of the epicenter  - No watches issued for earthquake magnitudes < 7.8	Oregon: *NO Washington: *NO  *(NTWC will call OR and WA who then relays to the counties)	Oregon: YES Washington: YES Manual via Tsunami GUI	
Tsunami Warning	NTWC-Driven	<ul> <li>Issued when a potential tsunami with significant widespread inundation is imminent or expected</li> <li>Earthquake magnitude 7.1 to 7.5: the warning will be for an area 250 km from the epicenter, extending to the nearest breakpoint (e.g. Cascade Head)</li> <li>Earthquake magnitudes 7.5 to 7.8 (inclusive): the warning area will be for an area 500 km from the epicenter, extending to the nearest breakpoint</li> <li>Earthquake magnitudes &gt; 7.8: the warning will be for locations along the coast with wave arrival times within 3 hours of the epicenter. Wave amplitudes are expected to be ≥ 1 meter</li> </ul>	Oregon: *NO Washington: *NO *(NTWC will call OR and WA who then relays to the counties)	Oregon: YES Washington: YES Manual via Tsunami GUI	YES Automatic
Ashfall Advisory (Land)	Coordination with VAAC & CVO				

Ashfall Warning (Land)	Coordination with VAAC & CVO	<ul> <li>Coordination with Volcanic Ash Advisory Center (VAAC) and USGS Cascades Volcano Observatory (CVO) required</li> <li>Issued for a volcano undergoing a major eruption where the public will be affected to a significant extent, such as ≥ 1/4" of ashfall accumulation, significant debris, lava or lahar flows.</li> </ul>	Oregon: YES Washington: YES Manual	Oregon: YES Washington: YES  Manual  At Lead Forecaster Discretion depending on magnitude of the event	
Ashfall Advisory (Marine)	Coordination with VAAC & CVO	- Coordination with Volcanic Ash Advisory Center (VAAC) and USGS Cascades Volcano Observatory (CVO) required <1/4" of ashfall accumulation, pumice rafts, or some floating debris.	Oregon: YES Washington: YES Manual		
Ashfall Warning (Marine)	Coordination with VAAC & CVO	- Coordination with Volcanic Ash Advisory Center (VAAC) and USGS Cascades Volcano Observatory (CVO) required ≥1/4" of ashfall accumulation, significant debris, lava, or lahar flows.	Oregon: YES Washington: YES Manual	Oregon: YES Washington: YES Manual At Lead Forecaster Discretion depending on magnitude of the event	
3rd Party	Lead Time / Duration			NOAA Weather Radio	
Hazard	Guidance	Criteria (including IMPACTS)	NAWAS	TONE/SAME	WEA
Air Stagnation Advisory	Lead Time: Up to 36 hours	- Persistent surface inversions (especially sharp ones) - NW Oregon and SW Washington mixing level <2000 ft - Transport winds <5 kts - No precipitation expected - Above conditions to last 48+ hours			
Air Quality Alert	Partner-Driven	Requested by Department of Environmental Quality (DEQ) or Lane Regional Air Protection Agency (LRAPA)			
Special Avalanche Bulletin	Partner-Driven	Requested by Northwest Avalanche Center (NWAC)			
Avalanche Watch	Partner-Driven	Requested by Northwest Avalanche Center (NWAC)	Oregon: NO Washington: YES - WFO Seattle has the responsibility to relay products to WAZ019 Manual		
Avalanche Warning	Partner-Driven	Requested by Northwest Avalanche Center (NWAC)	Oregon: NO Washington: YES - WFO Seattle has the responsibility to relay products to WAZ019 Manual		