

NOAA - National Weather Service

Tampa Bay Area 2525 14th Avenue SE, Ruskin, Florida 33570 813-645-2323 https://weather.gov/tampabay


January 2025 Climate Summary for West Central and Southwest Florida

This January we saw a wide range of temperatures with many days well below normal, some 10 to 20 degrees below normal, while a few others were slightly above normal. On seven of the coldest days freezing temperatures occurred across parts of the Nature Coast while further south some central inland areas saw some frost with isolated spots near freezing. Overall, the average temperatures for January ranged from about 2°F to nearly 7°F below normal, with some of the official climate sites ending up in the Top Ten Coldest for January.


JANUARY TEMPERATURE RANKINGS (°F)

	January 2	025	Normal	Dep fm	Records
Location	Rank	Avg Temp	Jan Temp	Normal	Began
Fort Myers Area	20th Coolest	61.5°	64.7°	-3.2°	Jan 1902
Punta Gorda Area	20th Coolest(tie	e) 60.8°	62.9°	-2.1°	May 1914
Sarasota-Bradenton Area	a 21st Coolest	59.1°	62.4°	-3.3°	Jan 1911
Venice	11st Coolest	58.5°	62.0°	-3.5°	May 1955
Lakeland Area	14th Coolest(tie	e) 57.7°	62.2°	-4.5°	Jan 1915
St Petersburg Area	9th Coolest(tie	e) 57.6°	62.2°	-4.6°	Aug 1914
Tampa Area	20th Coolest(tie	e) 57.3°	62.0°	-4.7°	Apr 1890
Winter Haven Area	7th Coolest	57.0°	62.2°	-5.2°	Mar 1941
Plant City	12th Coolest	56.2°	62.4°	-6.2°	Sep 1892
Bartow	7th Coolest(tie	e) 56.0°	61.2°	-5.2°	Jun 1892
Brooksville Area	9th Coolest	52.8°	57.5°	-4.7°	Jan 1892
Chiefland 5 ESE	3rd Coolest	48.6°	55.3°	-6.7°	Jul 1956

Contact: Paul Close, Paul.Close@noaa.gov Date: 02/01/2025



Departure from Normal Temperature (F) 1/1/2025 - 1/31/2025




Graphics Source: NOAA Regional Climate Centers

Contact: Paul Close, Paul.Close@noaa.gov Date: 02/01/2025

As for rainfall, it was below normal across most of the region, but there were some small bands around Interstate 4 and the northern Nature Coast that saw above normal rainfall.

JANUARY RAINFALL (inches):

	Januar	y 2025	Normal	Dep fm	Records
Location	Rank	Rain Total	Jan Rain	Normal	Began
Chiefland 5 ESE	30th Wettest	3.80	3.61	+0.19	Jul 1956
Tampa Area	40th Wettest	3.17	2.65	+0.52	Apr 1890
Plant City	81st Driest	2.77	3.00	-0.23	Sep 1892
Winter Haven Area	31st Wettest	2.59	2.49	+0.10	Mar 1941
Lakeland Area	66th Driest	2.32	2.99	-0.67	Jan 1915
Venice	35th Driest	1.92	2.68	-0.76	May 1955
Bartow	53rd Driest	1.43	2.66	-1.23	Jun 1892
Punta Gorda Area	48th Driest	1.21	2.32	-1.11	May 1914
Brooksville Area	31st Driest	1.12	3.01	-1.89	Jan 1892
Sarasota-Bradenton Area	34th Driest	1.08	2.79	-1.71	Jan 1911
St Petersburg Area	32nd Driest	1.05	2.52	-1.47	Aug 1914
Fort Myers Area	33rd Driest	0.54	2.43	-1.89	Jan 1902



Percent 600 400 300 200 150 125 110 100 -90 -75 -50 -25 -10 -5 -0

Rainfall January 2025

Percent of Normal

Contact: Paul Close, Paul.Close@noaa.gov

Following are tables of the Top Ten Warmest, Coolest, Wettest, and Driest Januarys at some official NWS locations, which include the average/total for this January where available, and the 1991-2020 Normal (average) temperature and rainfall for the month of January.

CHIEFLAND 5 SE (Records began in July 1956):

Warmest Januarys		Coc	lest January	s We	ttest J	Driest Januarys				
1	67.8 in 1974	1	47.3 in 198	1 1	14.50	in 1964	1	0.25	in	1974
2	62.9 in 1993	2	47.4 in 197	7 2	10.59	in 1979	2	0.36	in	2013
3	62.8 in 1972	3	48.6 in 202	5 3	9.53	in 1994	3	0.47	in	1957
4	62.3 in 2013	4	48.7 in 195	8 4	9.39	in 1991	4	0.61	in	1968
5	61.5 in 1957	5	49.0 in 200	3 5	7.65	in 1987	5	0.70	in	2020
6	61.4 in 1990	6	49.5 in 201	0 6	6.97	in 1988	6	1.10	in	2001
7	61.3 in 2017	7	49.6 in 200	1 7	6.54	in 2014	7	1.11	in	1981
	61.3 in 1989	8	50.0 in 197	8 8	6.22	in 1986	8	1.15	in	1960
9	61.0 in 1975	9	50.5 in 197	0 9	6.20	in 1978	9	1.38	in	2023
10	60.6 in 1991	10	51.0 in 198	8 10	5.84	in 1980	10	1.51	in	1989
				30	3.80	in 2025	40	3.80	in	2025

Normal Temperature for January at CHIF1 = 55.3° Normal Rainfall for January at CHIF1 = 3.61 inches

INVERNESS 3 SE (Records began in July 1948):

Warmest Januarys Coolest Januarys			ys We	Wettest Januarys			Driest Januarys				
1	70.3 in 1974	1 4	8.4 in 20	03 1	9.56	in 1994	1	0.00	in 1950		
2	68.1 in 1950	2 4	8.5 in 19	81 2	6.47	in 1963	2	0.10	in 2005		
3	64.8 in 1949	3 4	9.6 in 19	77 3	6.38	in 1958	3	0.26	in 1974		
4	64.6 in 1957	4 5	0.0 in 20	10 4	6.26	in 1988	4	0.29	in 2020		
5	63.4 in 1993	5 5	0.7 in 20	01 5	6.06	in 1979	5	0.30	in 2013		
6	63.3 in 1967	6 5	1.6 in 19	58 6	5.96	in 1964	6	0.35	in 1951		
7	63.1 in 1989	7 5	1.9 in 19	78 7	5.78	in 1980	7	0.64	in 1952		
8	62.6 in 1975	8 5	2.4 in 20	14 8	5.60	in 1978	8	0.67	in 1957		
9	62.4 in 1952	9 5	2.8 in 20	18 9	5.53	in 1986	9	0.72	in 1949		
10	62.0 in 2017	10 5	3.1 in 19	88 10	5.44	in 1998	10	0.75	in 2012		

Average Temperature for January 1-29, 2025 = 51.2° Normal Temperature for January at INVF1 = 56.0°

Total Rainfall for January 1-29, 2025 = 1.93 inches Normal Rainfall for January at INVF1 = 2.97 inches

Date: 02/01/2025

Contact: Paul Close, <u>Paul.Close@noaa.gov</u>

BROOKSVILLE AREA (Records began in January 1892):

War	mest Januarys	Cooles	t Jan	uarys	Wett	est Ja	anuar	ys	Dri	iest Ja	anua	arys
1	71.2 in 1974	1 49	.8 in	2003	1	9.15	in 1	912	1	Trace	in	1950
2	71.0 in 1937	2 50	.0 in	2010	2	7.85	in 1	994	2	0.13	in	1927
3	69.4 in 1950	3 51	.4 in	1940	3	7.68	in 1	964	3	0.16	in	2003
4	68.9 in 1947	4 51	.5 in	2001	4	7.14	in 1	959	4	0.31	in	1907
5	68.0 in 1913	5 51	.7 in	1981	5	7.04	in 1	906	5	0.35	in	1902
6	66.7 in 1972	6 51	.9 in	1977	6	6.66	in 1	988	6	0.39	in	1943
7	66.6 in 1989	7 52	.0 in	1893	7	6.19	in 1	914	7	0.44	in	2013
8	66.5 in 1949	8 52	.5 in	1958	8	6.03	in 1	899	8	0.48	in	1951
9	66.0 in 1917	9 52	.8 in	2025	9	5.74	in 1	936	9	0.53	in	1928
10	65.6 in 1932	10 52	.9 in	1902	10	5.67	in 1	958	10	0.59	in	1937
	65.6 in 1907											
					101	1.12	in 2	025	31	1.12	in	2025

Normal Temperature for January at BKV = 57.5° Normal Rainfall for January at BKV = 3.01 inches

ST LEO (Records began in April 1895):

War	mest Januarys	Cool	lest Januarys	Wett	est Januarys	Driest Januarys				
1	71.9 in 1937	1	51.1 in 1940	1	8.71 in 1899	1	0.00 in 1950			
2	69.2 in 1947	2	51.7 in 1977	2	7.61 in 1914	2	0.18 in 1937			
3	68.7 in 1950	3	52.7 in 1981	3	7.55 in 1912	3	0.19 in 2021			
4	67.8 in 1913	4	53.4 in 1958	4	7.37 in 1903	4	0.25 in 1927			
5	67.5 in 1972	5	53.6 in 1928	5	7.15 in 1941	5	0.34 in 1907			
6	66.9 in 1949	6	54.0 in 2010	6	6.32 in 1948	6	0.48 in 1898			
7	66.6 in 1989		54.0 in 1931	7	6.15 in 1904	7	0.51 in 1943			
8	66.5 in 1990	8	54.6 in 1970	8	6.13 in 1982		0.51 in 1905			
	66.5 in 1916		54.6 in 1905	9	6.10 in 1906	9	0.52 in 2006			
10	66.4 in 1932	10	54.9 in 1918	10	6.07 in 2016		0.52 in 1951			

Average Temperature for January 2025 = Not Available Yet Normal Temperature for January at STLF1 = 59.7°

Total Rainfall for January 2025 = Not Available Yet Normal Rainfall for January at STLF1 = 3.06 inches

Date: 02/01/2025

Contact: Paul Close, Paul.Close@noaa.gov

TARPON SPRINGS (Records began in January 1892):

Warmest Januarys Cool		est Januarys	Wet	test Janua	arys Dri	Driest Januarys			
1	71.4 in 1937	1	49.9 in 1981	1	8.23 in	2011 1	0.00 in 1950		
2	70.0 in 1950	2	51.2 in 1940	2	8.16 in	1948 2	0.07 in 1974		
3	69.5 in 1947	3	52.5 in 1893	3	7.96 in	1986 3	0.18 in 1898		
4	67.9 in 1932	4	52.8 in 1977	4	6.43 in	1936 4	0.22 in 1927		
5	67.6 in 1993	5	53.0 in 2010	5	6.17 in	1958 5	0.30 in 1907		
6	67.5 in 1913		53.0 in 1958	6	6.15 in	1964 6	0.32 in 1943		
7	66.7 in 1989	7	53.3 in 1956	7	5.91 in	1912 7	0.34 in 1905		
8	66.6 in 1991	8	53.6 in 1905	8	5.88 in	1994 8	0.36 in 1917		
9	66.4 in 1972	9	54.6 in 1896	9	5.87 in	1979 9	0.48 in 1932		
	66.4 in 1916	10	54.8 in 2001	10	5.82 in	1941 10	0.51 in 1916		

Average Temperature for January 2025 = Not Available Yet Normal Temperature for January at TRPF1 = 60.0°

Total Rainfall for January 2025 = Not Available Yet Normal Rainfall for January at TRPF1 = 3.03 inches

TAMPA AREA (Records began in April 1890):

Warı	mest Janua	arys Co	olest	Janı	uarys	Wett	est Ja	anua	arys	Dr	iest Ja	anua	arys
1	72.4 in 1	1937 1	50.3	in	1981	1	8.02	in	1948	1	Trace	in	1950
2	71.1 in 1	L974 2	51.2	in	1977	2	6.73	in	1904	2	0.08	in	1927
3	69.5 in 1	L950 3	51.9	in	1940	3	6.45	in	1899	3	0.11	in	2003
4	69.1 in 1	L947 4	53.3	in	1958	4	6.33	in	1903	4	0.17	in	1974
5	68.1 in 1	L913 5	54.0	in	1970	5	6.28	in	2011	5	0.18	in	1949
6	67.6 in 1	L932 6	54.7	in	2010	6	6.18	in	2016	6	0.26	in	1932
7	67.2 in 1	L949 7	54.8	in	2003	7	6.17	in	1912	7	0.28	in	1902
8	67.1 in 2	2013 8	55.0	in	1978	8	5.72	in	1979	8	0.29	in	1916
	67.1 in 1	L989 9	55.1	in	1893	9	5.42	in	1996	9	0.35	in	1943
	67.1 in 1	L916 10	55.2	in	2001	10	5.41	in	1958	10	0.39	in	1935
			•										
		20	57.3	in	2025	40	3.17	in	2025	96	3.17	in	2025
			57.3	in	1928								

Normal Temperature for January at TPA = 62.0° Normal Rainfall for January at TPA = 2.65 inches

Contact: Paul Close, Paul.Close@noaa.gov

Date: 02/01/2025

ST PETERSBURG AREA (Records began in August 1914):

Warmest Januarys		Coolest Januarys		Wettest Januarys			Driest Januarys				
1	73.3 in 1937	1	53.3 in	1940	1	10.39	in 1948	1	Trace	in	1950
2	71.8 in 1974	2	53.9 in	1981	2	7.45	in 1964	2	0.08	in	1956
3	70.8 in 1947	3	54.7 in	1977	3	7.13	in 2016	3	0.12	in	2003
4	70.4 in 1950	4	55.3 in	2010	4	6.71	in 1915	4	0.13	in	1927
5	69.8 in 1932	5	56.2 in	2003	5	6.37	in 1996	5	0.16	in	1976
6	69.5 in 1972	6	56.9 in	2001	6	6.30	in 1925	6	0.27	in	1916
7	68.4 in 2013	7	57.2 in	1970	7	6.20	in 1991	7	0.42	in	2021
	68.4 in 1916		57.2 in	1918	8	5.91	in 1973		0.42	in	1952
9	68.2 in 1989	9	57.6 in	2025	9	5.45	in 1979	9	0.43	in	1968
10	67.7 in 1993		57.6 in	1956	10	5.26	in 1958	10	0.44	in	1974
									•		
					80	1.05	in 2025	32	1.05	in	2025

Normal Temperature for January at SPG = 62.2° Normal Rainfall for January at SPG = 2.52 inches

PLANT CITY (Records began in September 1892):

Warmest Januarys		rys Coo	Coolest Januarys		Wettest Januarys				Driest Januarys				
1	71.2 in 1	974 1	50.8	in	1981	1	9.03	in	1948	1	0.00	in	1950
	71.2 in 1	937 2	52.1	in	1940	2	6.88	in	2016	2	Trace	in	1905
3	69.9 in 1	947 3	53.1	in	1977	3	6.70	in	1912	3	0.07	in	1927
4	68.8 in 1	972 4	54.5	in	1905	4	6.39	in	1964	4	0.21	in	1949
5	68.4 in 1	950	54.5	in	1893	5	6.33	in	1973	5	0.25	in	1937
6	68.2 in 1	913 6	54.7	in	1958	6	6.12	in	1993	6	0.27	in	1923
7	66.9 in 2	013 7	54.9	in	2003	7	5.98	in	1959	7	0.28	in	1907
	66.9 in 1	993	54.9	in	1931	8	5.97	in	1979	8	0.29	in	1902
	66.9 in 1	975 9	55.2	in	2010	9	5.94	in	1996	9	0.32	in	1976
10	66.7 in 1	991 10	55.7	in	2001	10	5.86	in	1926	10	0.36	in	1968
	66.7 in 1	989 11	55.9	in	1956						•		
	66.7 in 1	949 12	56.2	in	2025	47	2.77	in	2025	81	2.77	in	2025

Normal Temperature for January at PLCF1 = 62.4° Normal Rainfall for January at PLCF1 = 3.00 inches

Contact: Paul Close, Paul.Close@noaa.gov

Date: 02/01/2025

LAKELAND AREA (Records began in January 1915):

Warı	mest Jan	uarys	Cool	lest 3	Janı	ıarys	We	ttest	Janu	arys	Dri	est Ja	anua	arys
1	71.6 in	1937	1	51.9	in	1977	1	8.7	4 in	1948	1	0.04	in	1927
2	71.0 in	1974	2	52.8	in	1940	2	8.6	6 in	1993	2	0.12	in	1950
3	69.2 in	1947	3	53.1	in	1981	3	7.2	l in	1979	3	0.20	in	1949
4	68.9 in	1950	4	53.4	in	1958	4	6.7	7 in	2016	4	0.26	in	1971
5	68.4 in	1932	5	54.3	in	1970	5	5.9	3 in	1915	5	0.27	in	1951
6	67.7 in	1989	6	55.3	in	1978	6	5.9	l in	1925	6	0.29	in	1968
7	67.6 in	1916	7	55.6	in	2010	7	5.7	3 in	2011	7	0.40	in	1990
8	67.5 in	1993	8	56.3	in	2003	8	5.7	l in	1964	8	0.41	in	2013
	67.5 in	1917	9	56.4	in	1956	9	5.6) in	1966	9	0.44	in	2021
10	67.3 in	2013	10	56.6	in	2001	10	5.5	6 in	1996	10	0.46	in	1922
	67.3 in	1972	11	56.8	in	1961								
			12	57.4	in	1976	46	2.3	2 in	2025	66	2.32	in	2025
			13	57.5	in	1985								
			14	57.7	in	2025								
				57.7	in	1928								

Normal Temperature for January at LLDF1 = 62.2° Normal Rainfall for January at LLDF1 = 2.99 inches

WINTER HAVEN AREA (Records began in March 1941):

Warı	mest Januarys	Cool	lest Januarys	Wett	est Januarys	Drie	est Januarys
1	71.7 in 1974	1	51.9 in 1981	1	7.46 in 1948	3 1	0.02 in 1950
2	71.4 in 1989	2	53.2 in 1977	2	6.57 in 1979	9 2	0.14 in 1949
3	71.3 in 1947	3	54.9 in 1958	3	5.91 in 1960	5 3	0.19 in 2013
4	69.6 in 1950	4	55.0 in 2003	4	5.88 in 2016	5 4	0.20 in 1951
5	68.9 in 1991	5	55.6 in 2010	5	5.78 in 1996	5 5	0.24 in 1971
6	68.3 in 1972	6	56.9 in 2001	6	5.62 in 1993	3 6	0.29 in 2021
7	67.6 in 1993	7	57.0 in 2025		5.62 in 1964	1 7	0.40 in 1968
8	67.5 in 1949	8	57.1 in 1970	8	5.39 in 1973	8	0.42 in 1981
9	67.2 in 1990	9	57.2 in 1976	9	5.30 in 1958	9	0.48 in 1952
10	66.7 in 2013	10	57.5 in 1985	10	5.22 in 2004	10	0.58 in 2020
	66.7 in 1975						
				31	2.59 in 2025	5 54	2.59 in 2025

Normal Temperature for January at GIF = 62.2° Normal Rainfall for January at GIF = 2.49 inches

Contact: Paul Close, Paul.Close@noaa.gov

Date: 02/01/2025

BARTOW (Records began in June 1892):

Warr	mest Januarys	Coole	est Januarys	Wett	est Januarys	Driest Januarys			
1	71.2 in 1974	1 5	52.6 in 1981	1	7.79 in 1948	1	0.03 in 1950		
2	70.7 in 1937	2 !	54.0 in 1977	2	7.18 in 1926	2	0.10 in 1927		
3	68.3 in 1950	3 !	54.9 in 1958	3	6.99 in 2016	3	0.16 in 1949		
4	68.0 in 1991		54.9 in 1956	4	6.98 in 1915	4	0.19 in 1990		
5	67.9 in 1989	5 5	55.5 in 2010	5	6.65 in 1958	5	0.23 in 1902		
6	67.7 in 1972	6 5	55.8 in 2003	6	6.64 in 1903	6	0.25 in 1974		
7	67.6 in 1947	7 !	56.0 in 2025	7	6.60 in 1936	7	0.31 in 1968		
8	67.2 in 1913	1	56.0 in 1905	8	6.17 in 1912	8	0.33 in 1951		
9	67.0 in 1993	1	56.0 in 1896	9	6.13 in 1973	9	0.34 in 1971		
	67.0 in 1975	10 5	56.4 in 1910	10	6.02 in 1966	10	0.35 in 2021		
				79	1.43 in 2025	53	1.43 in 2025		

Normal Temperature for January at BARF1 = 61.2° Normal Rainfall for January at BARF1 = 2.66 inches

SARASOTA-BRADENTON AREA (Records began in January 1911):

War	mest Janı	Cool	Coolest Januarys				Wettest Januarys				Driest Januarys			
1	72.0 in	1937	1	50.7	in	1981	1	10.26	in	1998	1	0.00	in	1950
2	71.1 in	1974	2	52.3	in	1977	2	9.03	in	1993	2	0.02	in	1927
3	70.5 in	1950	3	53.5	in	1940	3	7.84	in	1948	3	0.03	in	1974
4	67.9 in	1993	4	54.8	in	2003	4	7.52	in	1958	4	0.15	in	1947
5	67.7 in	1990	5	55.2	in	1978	5	6.24	in	2006	5	0.20	in	2013
6	67.6 in	1989	6	55.4	in	2010	6	5.92	in	1979		0.20	in	1937
7	67.5 in	1916	7	55.8	in	1958	7	5.38	in	1912	7	0.22	in	1956
8	67.1 in	1991	8	56.4	in	2001	8	5.24	in	1936	8	0.28	in	2003
	67.1 in	1932	9	56.6	in	1928	9	5.15	in	1966	9	0.29	in	1990
10	67.0 in	2013	10	56.7	in	1985	10	4.88	in	1915	10	0.34	in	2001
												0.34	in	1933
			21	59.1	in	2025								
							81	1.08	in	2025	34	1.08	in	2025

Normal Temperature for January at SRQ = 62.4° Normal Rainfall for January at SRQ = 2.79 inches

Contact: Paul Close, Paul.Close@noaa.gov

VENICE (Records began in April 1955):

Warr	mest Januarys	Coo	lest Janua	rys We	ettest J	anuarys	Driest Januarys			
1	69.9 in 1989	1	50.8 in 1	.981 :	l 9.32	in 1958	1	0.10	in 1968	
2	69.8 in 1974	2	53.5 in 1	.977 2	2 7.34	in 2016	2	0.15	in 2003	
3	69.2 in 1972	3	56.0 in 1	.958	7.00	in 1973	3	0.24	in 1974	
4	69.1 in 2013	4	56.3 in 2	2003	4 6.62	in 1966	4	0.27	in 1990	
5	65.7 in 1999	5	56.4 in 1	.985	6.39	in 1993	5	0.36	in 2012	
6	65.3 in 2017	6	56.6 in 1	.978	6.28	in 1979	6	0.37	in 2001	
7	65.2 in 2020		56.6 in 1	.976	7 5.89	in 1999	7	0.41	in 2021	
8	65.1 in 1975	8	57.1 in 2	2001	3 5.00	in 2024	8	0.43	in 1975	
	65.1 in 1967	9	57.7 in 1	.970	9 4.78	in 1991	9	0.46	in 1971	
10	64.9 in 2023		57.7 in 1	.956 10	4.54	in 1994	10	0.49	in 2013	
	64.9 in 1998	11	58.5 in 2	. 025						
				3!	1.92	in 2025	35	1.92	in 2025	

Normal Temperature for January at VNCF1 = 62.0° Normal Rainfall for January at VNCF1 = 2.68 inches

MYAKKA RIVER STATE PARK (Temperature records began in March 1956 and Rainfall records began in Sep 1943):

Warı	mest Januarys	Coo	lest Januarys	Wett	est Januarys	Driest Januarys			
1	69.5 in 1974	1	52.1 in 1981	1	9.30 in 1993	1	0.00 in 1974		
2	69.2 in 1993	2	53.5 in 1970	2	8.25 in 1973		0.00 in 1950		
3	67.7 in 1972	3	54.5 in 1977	3	7.38 in 1979	3	0.08 in 2003		
4	67.4 in 2013	4	54.9 in 2003	4	6.84 in 2016	4	0.09 in 1968		
	67.4 in 1991	5	55.0 in 1958	5	6.82 in 1958	5	0.17 in 1990		
6	67.3 in 1989	6	56.1 in 2001	6	5.64 in 1999	6	0.21 in 2001		
	67.3 in 1975	7	57.3 in 1961	7	5.53 in 1987	7	0.27 in 2021		
8	67.0 in 1990	8	57.4 in 1963	8	5.42 in 1991	8	0.31 in 2006		
9	66.6 in 2017	9	57.8 in 1985	9	5.13 in 1966	9	0.32 in 1951		
10	66.3 in 2007		57.8 in 1978	10	5.03 in 1998	10	0.54 in 1975		

Average Temperature for January 2025 = Not Available Yet Normal Temperature for January at MKCF1 = 62.2°

Total Rainfall for January 2025 = Not Available Yet Normal Rainfall for January at MKCF1 = 2.85 inches

Date: 02/01/2025

Contact: Paul Close, Paul.Close@noaa.gov

WAUCHULA (Records began in January 1933):

War	mest Januarys	Cool	est Januarys	Wett	est Januarys	Driest Januarys			
1	73.1 in 1937	1	47.4 in 2010	1	7.84 in 1979	1	0.00 in 2001		
2	71.4 in 1974	2	52.5 in 1981	2	7.26 in 1973		0.00 in 2000		
3	69.9 in 1947	3	53.1 in 2001	3	7.20 in 1958	3	0.03 in 1974		
4	69.0 in 1972	4	54.3 in 1940	4	6.89 in 2016	4	0.08 in 1950		
5	68.1 in 1991	5	54.7 in 1977	5	6.49 in 1966	5	0.14 in 1990		
6	67.9 in 1989	6	56.1 in 1956	6	6.09 in 1998	6	0.26 in 1949		
7	67.8 in 1990	7	56.7 in 2014	7	5.93 in 1993	7	0.27 in 1935		
8	67.7 in 1950	8	57.0 in 1970	8	4.53 in 1936	8	0.29 in 2013		
9	67.5 in 1975	9	57.1 in 2011	9	4.29 in 1983	9	0.30 in 1992		
10	67.0 in 1993		57.1 in 1978	10	4.19 in 1948	10	0.33 in 2006		

Average Temperature for January 1-27, $2025 = 55.5^{\circ}$ Normal Temperature for January at WAUF1 = 60.2°

Total Rainfall for January 1-27, 2025 = 1.54 inches Normal Rainfall for January at WAUF1 = 2.29 inches

ARCHBOLD BIO STN (Records began in January 1969):

War	mest Januarys	Coolest	t Januarys	Wett	est Januarys	Driest Januarys			
1	69.7 in 1974	1 50	.8 in 1981	1	9.64 in 2016	1	0.08 in 1976		
2	67.5 in 1993	2 53	.7 in 1977	2	7.91 in 1979	2	0.13 in 1975		
3	67.4 in 1975	3 53	.8 in 2001	3	5.65 in 1998	3	0.14 in 2021		
	67.4 in 1972	4 54	.5 in 2010	4	5.17 in 1991	4	0.22 in 2007		
5	66.9 in 1991	5 54	.8 in 2003	5	5.12 in 1993	5	0.25 in 1972		
6	66.6 in 1990	6 56	.3 in 1970	6	5.11 in 1973	6	0.26 in 2001		
7	65.9 in 2013	7 57	.1 in 1978	7	4.78 in 1970	7	0.29 in 2012		
8	65.7 in 1989	8 58	.0 in 1995	8	4.41 in 1983	8	0.31 in 2006		
9	64.5 in 2017	58	.0 in 1987	9	3.90 in 2019	9	0.33 in 1974		
10	64.4 in 2007	10 58	.5 in 2009	10	3.82 in 1994	10	0.36 in 1992		
		58	.5 in 1983				0.36 in 1981		
		58	.5 in 1979						

Average Temperature for January 1-24, 2025 = 56.8° Normal Temperature for January at ACHF1 = 61.4°

Total Rainfall for January 1-24, 2025 = 1.75 inches Normal Rainfall for January at ACHF1 = 2.18 inches

Contact: Paul Close, <u>Paul.Close@noaa.gov</u>

PUNTA GORDA AREA (Records began in May 1914):

War	mest Januarys	Coolest Januarys			Wette	est Jan	uarys	Driest Januarys			
1	71.7 in 1950	1	54.4 in	1981	1	9.93 i	n 2016	1	0.00	in 1950	
2	71.3 in 1937	2	55.3 in	1977	2	7.07 i	n 1979		0.00	in 1949	
3	71.1 in 1974	3	55.8 in	2003	3	6.95 in	n 1958	3	0.08	in 1990	
4	70.8 in 1947	4	56.4 in	2001	4	6.29 i	n 1973	4	0.10	in 1974	
5	70.4 in 1949		56.4 in	1940	5	5.89 i	n 1926		0.10	in 1951	
6	69.8 in 1993	6	56.6 in	2010	6	5.84 i	n 1991	6	0.11	in 1968	
7	69.1 in 1972	7	57.3 in	1978	7	5.51 in	n 1948	7	0.21	in 1927	
8	68.6 in 1991	8	57.5 in	1976	8	5.18 in	n 1966	8	0.27	in 2001	
9	68.5 in 1989	9	57.6 in	1970	9	4.95 in	n 1931		0.27	in 1928	
	68.5 in 1932	10	58.4 in	1958	10	4.86 in	n 1970	10	0.29	in 2021	
	68.5 in 1916										
		20	60.8 in	2025	60	1.21 i	n 2025	48	1.21	in 2025	
			60.8 in	1988							

Normal Temperature for January at PGD = 62.9° Normal Rainfall for January at PGD = 2.32 inches

FORT MYERS AREA (Records began in January 1902):

Warmest Januarys			5	Coolest Januarys			Wettest Januarys				Driest Januarys					
1	73.4	in	1937	7	1	55.7	in	1981	1	12.98	in	2016	1	0.00	in	1950
2 '	73.0	in	1974	l	2	55.9	in	1977	2	7.95	in	1991	2	Trace	in	2001
3 '	70.9	in	1972	2	3	57.1	in	1958	3	7.45	in	1979	3	0.01	in	1949
4	70.8	in	1947	7	4	57.3	in	1940	4	6.04	in	1958		0.01	in	1917
5 '	70.3	in	1991	_	5	57.6	in	2003	5	5.36	in	1993	5	0.05	in	1916
6	70.0	in	1993	3	6	57.8	in	1902	6	5.10	in	2019	6	0.15	in	2012
	70.0	in	1950)	7	58.0	in	1970	7	4.86	in	2024		0.15	in	1984
	70.0	in	1913	3	8	58.4	in	1905	8	4.76	in	1903	8	0.21	in	1976
9 (69.9	in	2013	3	9	58.7	in	2001	9	4.50	in	1983	9	0.22	in	1920
(69.9	in	1989)		58.7	in	1956	10	4.36	in	1970	10	0.23	in	1928
														•		
					20	61.5	in	2025	92	0.54	in	2025	33	0.54	in	2025

Normal Temperature for January at FMY = 64.7° Normal Rainfall for January at FMY = 2.43 inches

For more Climate information visit our web site at the following link: https://www.weather.gov/tampabay and then go to the Climate and Past Weather drop down menu above the graphical forecast images.

Contact: Paul Close, Paul.Close@noaa.gov Date: 02/01/2025